WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources App. N	MW4	
1 LOCATION OF WATER WELL;	Fraction	Section Number	Township No.	Range Number	
County: Sedgwick	NW ¼ NE ¼ NE ¼ NE ½		T 27 S	R 1 ZE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here		Global Positionin	g System (GPS) ir	nformation:	
Caster Station		Latitude: .37.693576 (in decimal degrees) Longitude: -97.281824 (in decimal degrees)			
4645 East Central, Wichita, KS 67226		Elevation: 417M			
A WATER WITH CONTROL		Elevation: 41/M Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 2314 Addison Circle		Collection Method:			
City Ctate 7ID Co. J.		☐ GPS unit (Make/Model: Garmin Nuvi 760 Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Wichita, KS 67226		Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WELL					
WITH AN "X" IN 4 DEPTH OF (WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1), 12.97 ft (2), N/A ft (3), N/A ft				
SECTION BOX: Depth(s) Groundwater Encountered (1).12.97 ft. (2).N/A ft. (3).N/A ft. WELL'S STATIC WATER LEVEL12.97 ft. below land surface measured on mo/day/yr.10-15-10					
Pump test data: Well water was N/A					
EST. YIELD. N/Agpm. Well water was. N/A					
W E Bore Hole Diameter 8.25in. to .20ft., and .N/Ain. to .N/Aft.					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
SW SE					
Was a chemical/bacteriological sample submitted to Department? Yes V No					
S If yes, mo/day/yr sample was submitted N/A					
Water well disinfected? ☐ Yes ☑ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .2 in. to .5 ft., Diameter .N/A in. to .N/A ft., Diameter .N/A ft.					
Casing height above land surface0					
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel					
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)					
From N/A ft. to N/A ft., From N/A ft. to N/A ft.					
GRAVEL PACK INTERVALS: From 2.1 ft. to 20 ft. From N/A ft to N/A ft					
From N/A ft to N/A ft From N/A ft to N/A ft					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 6-inches Grout Intervals: From 0.5 ft. to 2.1 ft., From N/A ft. o N/A ft., From N/A ft. o N/A ft.					
Grout Intervals: From .9.5					
What is the nearest source of possible conta	amination: nes	pens Insecticide	e storage	ner (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
Watertight sewer lines Seepage p					
Direction from well		from well<1.00-fe		JGGING INTERVALS	
		10 LITHOLL	OG (cont.) or PLC	OGGING INTERVALS	
0.5 20' Brown day	unite				
013 0.0 131828 0.00					
			nal Returned	to Sender	
		Crigi	nai Kerumea	- 101 10/27/10	
		- for C	correction L	ate: 10/27/10	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .10-5-10 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day//ear) 19-21-19					
under the business name of RAZEK Environmental LLC by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Check: White Copy, Blue Copy					