WATER WELL RECORD	Form W	WC-3	Division of wate	r Resources App. N	o	
1 LOCATION OF WATER WEI		1/. NIW 1/.	Section Number 10	Township No. T 27 S	Range Number R 01	
County: Sedgwick Street/Rural Address of Well Loc		NW ¼ NE ¼ NE ¼ NW ¼ if unknown, distance & direction		Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
2203 E. 21st Street N., Wichita, KS		Longitude: (in decimal degrees) Elevation:				
			Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: City of Wichita-Doris Leslie			Collection Method:			
RR#, Street Address, Box #: 1900 E. 9th Street City, State, ZIP Code : Wichita, KS 67214			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Widilita, 110 07214			Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 30.0 ft.						
SECTION BOX: Denth(s)	Depth(s) Groundwater Encountered (1), ~20, ft. (2), ft. (3), ft.					
	WELL'S STATIC WATER LEVEL. NM					
	Pump test data: Well water was					
	I NW - I NE - I D II I D' - I I I I I I I I I I I I I I I I I I					
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well					Injection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well AirSparqeObservat Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☐ Yes ☑ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .2" in. to .30 ft., Diameter in. to						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
GRAVEL PACK INTERVALS: From 26.0 ft. to 30.0 ft., From ft. to				to ft.		
From						
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other						
Grout Intervals: From .1		1	п. то п.,	From	π. τοπ.	
☐ Septic tank ☐ La	teral lines Pit privy	Livestock p	ens 🔲 Insecticide	e storage 🗹 Otl	her (specify below)	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
	OLOGIC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 0.5 Asphalt						
0.5 13 Clay, silty 13 20 Sand, very fine t	n fine			W. C. C.		
20 30 Sand and gravel						
				ASW1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .9/28/10						
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on the day year) .11/24/10						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in banks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 8W Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.htm		will one for y				
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						