WATER WELL RECORD			Form W	WC-5	Di	vision of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL: County: Sedgwick			Fraction NW ¼ NE ¼ NE	1/4 NW 1/2		on Number 10	Township No. T 27 S	Range Number R 01	
		Address of Well Location;			Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
2203 E. 21st Street N., Wichita, KS					Longitude: (in decimal degrees)				
						Elevation:			
2 WATER WELL OWNER: City of Wichita-Doris Leslie						Collection Method:			
			9th Street			GPS unit (Make/Model:)			
City, State, ZIP Code : Wichita,			KS 67214		Digital Map/Photo, Topographic Map, Land Survey				
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 30.0									
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1).~20								
ļ ,,									
1 1	X 1	LECT VIELD	test data: Well water	r was	ππ	after	hours pum	ping gpm	
w NV	Ù	E E Bore Hole Diam	gpm. Well water wasft. after hours pumping gpm eterin. toft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
sv	Sw. SF. Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well AirSpargeObservat ☐ Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
	s						Yes V No		
S If yes, mo/day/yr sample was submitted									
water werr districted: 11 165 by 100									
5 TYPE OF CASING USED: Steel PVC Other									
Casing diameter .2" in. to .30 ft., Diameter ft., Diameter ft.									
Casing height above land surface. 4.32. in., Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From .1									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
Watertight sewer lines							Site		
		n well			from w				
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
0	0.5 14	Asphalt							
0.5	20	Clay, silty Sand, very fine to fine	***************************************						
20	30	Sand and gravel, 1/8" r	ounded						
		Cana and gravery me					ASOBW	1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This was all to the second of the second									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .9/29/10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on the best of the best									
under the business name ofCoranco Great Plains, Inc									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone	ue, pink) t 785-296-	o Kansas Department of Health 5522. Send one copy to WAT	ER WELL OWNER and i	or water, Geo retain one for	ogy Section	on, 1000 S W Ja rds. Include fe	ckson St., Suite 420, ' of \$5.00 for each c	Topeka, Kansas 66612-1367.	
http://www	w.kdheks.g	ov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									