A LOCATION OF WATER WELL			) Form WWC-5	KSA 82a-12 ion Number		imber	Range Number
1 LOCATION OF WATER WELL:	Fraction	SE v		17	T 27		R <b>1</b> E
County: Sedgwick Distance and direction from nearest to	wn or city street add	ress of well if loc	ated within city?	.,		3	
stance and direction non-nearest to		157 West 11 <sup>t</sup>	<sup>n</sup> St., Wichita, K	(ansas			
2 WATER WELL OWNER: KDHE							
RR#, St. Address, Box # : 1000	SW Jackson				Board of Agric	ulture, Divi	sion of Water Resources
City State ZIP Code : Topel	ka. KS 66612				Application Nu		
LOCATE WELL'S LOCATON WITH	41.1						
AN "X" IN SECTION BOX:		OMPLETED WE	LL <u>32</u>	ft. ELEV	ATION:		
	Depth(s) Groundw	ater Encountere	ed 11.5	ft.	2	ft.	3 Ft. yr <b>10/07/10</b> umping Gpm pumping Gpm
Ν	WELL'S STATIC V	VATER LEVEL	ft.	below land s	urface measured of	on mo/day/	/r 10/07/10
	Pump	test data: Well	I water was	Fi	t. after	hours p	umpingGpm
NWN	Est. Yield	Gpm: Well	I water was	Fi	t. after	Hours p	umpingGpm
	Bore Hole Diamet	er 8.625 I	n. to 32	2	ft. and	in	to Ft.
₩	E WELL WATER TO	BE USED AS:	5 Public water su	pply	8 Air conditio	ning 11	to Ft. Injection well Other (Specify below)
-	1 Domestic	3 Feed lot	6 Oil field water	supply	9 Dewatenng		2 Other (Specify below)
sw se	2 Irrigation		7 Lawn and gard				
	Was a chemical/b	acteriological sa	mple submitted to D	Department?	Yes No X	If yes,	mo/day/yr sample was
★ <u><u> </u></u>	Submitted			Wat	ter Well Disinfecte	ed? Yes	No X
5 TYPE OF BLANK CASING USED:		5 Wrought Iro	on 8 Concre	ete tile	CASING JOH	NTS: Glueo	Clamped
1 Steel 3 RMP	(SR)	6 Asbestos-C	ement 9 Other	(specify below	N)	Weld	ed
2 PVC 4 ABS		7 Fiberglass				Threa	aded X
		Ft.,					
Blank casing diameter 2	in. to <b>30</b>	Dia	In. t	0	ft., Dia		in. toft.
Casing height above land surface		n., weight					
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:		7	PVC	10 Asbe	estos-ceme	nt
	less steel	5 Fiberglass	8	RMP (SR)	11 Othe	er (specify)	
	anized steel	6 Concrete til	e 9	ABS	12 None	e used (ope	en hole) 11 None (open hole)
SCREEN OR PERFORATION OPENI	and the second se						11 None (open noie)
	Mill slot		Wire wrapped		9 Drilled holes		
2 Louvered shutter 4			Torch cut		TO Other (spec	"y)	
SCREEN-PERFORATED INTERVALS							
	From	ft. to			rom	π. ι	• Ft.
SAND PACK INTERVALS:	From	<b>28</b> ft. to	32	ft. F	rom	ft. t	oFt.
	From	ft. to		ft. F	rom	ft. t	o Ft.
6 GROUT MATERIAL: 1 Neat	cement 2	Cement grout	3 Ben	tonite	4 Other		
Grout Intervals From2 0		HT I	1-4				
What is the nearest source of possible					ock pens		andoned water well
1 Septic tank		7 Pi	it privv		storage		,
2 Sewer lines	5 Cess pool		ewage lagoon		zer storage		er (specify below)
					ticide storage		ntaminated Site
3 Watertight sewer lines	6 Seepage pit	ЭГС	eedyard	How many	•	00	Intaminated Site
Direction from well? FROM TO CODE		OGIC LOG	FROM	TO		JGGING IN	
	lay						
	ilt						······
	lay				<u>, , , , , , , , , , , , , , , , , , , </u>		
	and						A
	nd of Borehole	)					1
				+ +			
7 CONTRACTOR'S OR LANDOWNE	-R'S CERTIFICATIO		vell was (x) construi	ted (2) reco	nstructed or (3) r	lugged und	ler my jurisdiction and w
							ge and belief. Kansas
Completed on (mo/day/yr)		585			cord was complet		
Water Well Contractor's License No.	Associate				y (signature) B		
under the business name of INSTRUCTIONS: Please fill in blan	iks and circle the corre	ct answers. Send	three copies to Kans	as Departmen	t of Health and Env	LOUT MEN LA	and of grane Toroka
Kansas 66620-0001. Telephone: 9						-C	17
						-7	1