			WAT	FER WEI	LL REC	ORD	Forr	n WW	/C-5 k	(SA 82a-12	12			
1 LOCATION OF		VELL:	FRACT		~ -		_	SECT	ION NUMBE		IP NUMBER	RANGE N		
Sedgwick			SI			<u>/4 SW</u>	/ 1/	4	34	T	27 S	R 11	E e/w	
Distance and direction from nearest town or city street address of well if located within city?														
I-135 and					vichita,	Kansas			(61	ogs on 1 pe	rmit)			
	2 WATER WELL OWNER: WICHITA, CITY OF RR#,ST. ADDRESS,BOX #: 455 N. Main										Board of Agriculture, Division of Water Resource			
CITY, STATE: Wichita, Kansas								715			Application Number: 20110019			
						1.	40	∠⊪ ft.	P CODE:	ELEVATION:	Application Nun	nber: 201		
3 LOCATE WEI WITH AN "X"		ON BOX:		OF COMPLE			40			ELEVATION:				
	N			oundwater E				ft.			ft.		ft.	
			WELL'S ST			15			N LAND S		URED ON mo/o		4/11	
NW	······································	NE	5 -4 V(test data:		vater w			ft. after		of pumping @	gpm	
Mile w		E	Est. Yi Bore Hole		gpm 12	in.	water w	to 4	0 fi	ft. after t. and		s of pumping @	gpm ft.	
2 "						111.		10 4	0	anu	in.	to		
sw	WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specific Content of Cont													
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well													peeny below,	
S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample														
submitted Was Water Well Disinfected? YES NO														
5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded														
1. Steel 3. RPM (SR) Welded Clamped														
2. PV(4. ABS									0			
Blank casing di		8	in.) ft.,	Dia.		in.	to	ft.,	Dia.	in. to	ft.	
Casing height			12	in.,		Weight:	5.5	5 2 Ib	s. / ft.	Wall	hickness or gaug	ge No332		
TYPE OF SCR						- BVC		0.45		11 (ther (coocify)			
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)														
2. Brass		alvanized		Concrete Tile		3. RMP (SR	.)	10. As			ione used (open	noie)		
SCREEN OR P														
1. Continuou	us slot	3. Mil	l slot	5. Ga	uzed wrap	oped		7. Tor	ch cut	9. Dr	lled holes	11. None (open hole)	
2. Louvered	shutter	4. Ke	y punched	6. Wi	re wrappe	d	(8. Sav	v cut	10. Ot	her (specify)			
SCREEN - PER	RFORATIO		AL Fro	om	20 ft.		to	40	ft.,	From	ft.	to	ft.	
			Fro	om	ft.		to		ft.,	From	ft.	to	ft.	
GRAVE	EL PACK	INTERVALS	S: Fro	om	20 ft.		to	40	ft.,	From	ft.	to	ft.	
				om	ft.		to		ft.,	From	ft.			
G GROUT M		<u>e</u> .										to	ft.	
뜨		1. 196	eat cement 0 ft.	4.5	2. Cemen				Bentonit			onite hole pl	0	
Grout Interv What is the near		From ce of possible	-		20 ft.,	From	1	ft.	to	ft.,	From	ft. to	ft.	
1. Septic tan			eral lines	7. P	it privy		10. L	ivestoc	c pens	13. Insec	ticide storage	15. Oil well/	Gas well	
2. Sewer line		5. Ces	ss Pool	8. S	ewage lag	joon	11. F	uel stor	age	14. Aban	don water well	16. Other (s	pecify below)	
		ne 6. See	epage pit	9. F	eed yard		12. F	ertilizer	storage			None ap	oparent	
3. Watertight sewer line 6. Seepage pit 9. Feed yard									-	How r	nany feet?			
From 7	То		LITHO	DLOGIC	LOG		F	rom	То		LITHOLC	OGIC LOG		
0	3 to	psoil												
3 1	17 cl	ây												
		ledium sa	nd		1.000									
27 4	40 gr	rey shale					_							
							+				-			
							_							
							_							
<u>├</u>														
							-							
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2, reconstructed or 3, plugged under my jurisdiction and													tion and	
was complete	ted on (mo	o/day/year)	2/2	4/2011	ar	nd this reco	rd is tru	ue to the	best of my	knowledge and	belief.			
Kansas Wate	er Well Co	ontractor's Lic	cense No. 🔅	236		This water	well re	cord was	s complete	d on (mo/day/ye	ear) 2/28	/2011		
under the bus	siness na	me of Hon	m Well a	nd Pum	Service	e		by (sic	nature)	т	2. K.K.	. Hart		
1		1141	ra			-		, (,	/	JUMAS	$.\pi WL$,	