WATE	R WE	LL RECORD MW-	SD Form W	WC-5	Divisio	n of Wate	r Resources App. No).		
1 LO	CATION	OF WATER WELL:	Fraction		Section N		Township No.			
Cou	nty: Se	dgwick	¼ SE ¼ SE	1/4 SW 1/4		9	T 27 S			
Stre	et/Rural	Address of Well Location; i	f unknown, distance d	Global Po	sitioning	System (GPS) in	formation:			
from	from nearest town or intersection: If at owner's address, check here .						Latitude: .37. 709. (in decimal degrees)			
Bre	Brenntag Facility					Longitude: 97, 3194 (in decimal degrees)				
1520 N. Barwise St., Wichita, KS					Elevation	Elevation:				
The state of the s						Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:				
2 WATER WELL OWNER: Brenntag North America, Inc. RR#, Street Address, Box #: 5083 Pottsville Pike					Collection	GPS unit (Make/Model: Garmin 60				
City, State, ZIP Code : Reading, PA					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
Est, Accuracy: □ <3 m, ☑ 3-5 m, □ 5-15 m, □ >15 m										
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 34 A DEPTH OF COMPLETED WELL 34 A DEPTH OF COMPLETED WELL 34									
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)									
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr										
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm										
W E Bore Hole Diameter 9										
Demostic Describer Doll Seld and a complex Demostration Defeat (Specific holosy)										
Irrigation Industrial Domestic layer & garden Monitoring well										
Was a chemical/bacteriological sample submitted to Department? Yes V No										
S If yes, mo/day/yr sample was submitted.										
	1 mile	Water well disin	fected? Tyes 🔽	No						
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter .2 in. to										
Casing height above land surface. FLush in., Weight										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft. ft. ft.										
From										
From										
From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well										
		tht sewer lines		Fuel Storag		oandoned Oil well/ga	Ob	nical Site		
		m well								
FROM		LITHOLOGI		FROM				GGING INTERVALS		
0	1									
1	8	Silty Clay, Brown, Soft								
8	34	Sand, poorly sorted								
34	-	weathered Shale								
							· -			
	ļ									
	ļ									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .3/23/2011 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 7.10 This Water Well Record was completed on (mo/day/year) 4/6/2011										
under the business name of . Below Ground Surface, Inc										
		Ose typewriter or ball point pen. o Kansas Department of Health a								
Telephone	785-296-	5522. Send one copy to WATE								
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212 Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy										