	WATER WELL RE	CORD F	orm WW	/C-5 K	SA 82a-121	2		
1 LOCATION OF WATER WELL:	FRACTION CE AND		SECT	ION NUMBE	1		RANGE NU	
☐ Sedgwick	3/4 SW	1/4 SW	1/4	6		S	R 1E	EW
Distance and direction from nearest town or city s								
2251 N. Dogwood Lane 2 WATER WELL OWNER: WES	Wichita, Ka COTT, Michael Exec		rginia Sh	owver				
	. Rutland	cutor for vir	giiia Sii	011101		Board of Agric	culture, Division of W	ater Resource
1	ita, Kansas		ZIF	CODE: 6	7206	Application Num	ber:	
3 LOCATE WELL'S LOCATION 4 D	DEPTH OF Physical D WE	ELL: 28' from	grade ft.		ELEVATION:	well pit		
WITH AN "X" IN SECTION BOX:	th of groundwater Encounter		ft.			ft.		ft.
	LL'S STATIC WATER LEVE	4.0	FT. BELO	W LAND S	JRFACE MEASU	RED ON mo/d	ay/yr: 9/21	/11
NWNE	Pump test dat	a: Well wat	er was		ft. after	hours	of pumping @	gpm
<u>o</u>	Est. Yield: gpm	Well wat	er was		ft. after	hours	of pumping @	gpm
	ore Hole Diameter	in.	to	ft	. and	in.	to	ft.
	ELL WATER 4315 E USED A Domestic 3. Feedlot	S: 5. Public wat	er supply	7. Lawn	and garden only	9. Dewaterir	פי	ction well pecify below)
	Irrigation 4. Industrial					10. Monitorin		pecity below,
s w	as a chemical/bacteriological san			YES	NO		vhat mo/day/yr v	
	omitted				Water Well Disinfo			NO
TYPE OF CASING USED: 1. Steel 3. RPM (SR	5. Wrought Iron	7. Fiberglass	9. Ot	her (Specif	y below) CAS	ING JOINTS:	Glued	Threaded
2. PVC 4. ABS	6. Asbestos-Cement	8. Concrete til	e				Welded	Clamped
Blank casing diameter 1 1/4	in. to 28 ft.,	Dia.	in.	to	ft., 1	Dia. i	n. to	ft.
Casing height hand surface:	78 in.,	Weight:	lb	s. / ft.	Wall thi	ckness or gaug	e No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A								
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION OPENING	S ARE:							
1. Continuous slot 3. Mill slo	ot 5. Gauzed wr	apped	7. T o i	rch cut		ed holes	11. None (c	pen hole)
2. Louvered shutter 4. Key pu	inched 6. Wire wrapp	ped	8. Sa	w cut	10. Othe	er (specify) N	/A :	
SCREEN - PERFORATION INTERVAL	From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat of	cement 2. Cem	ent Grout	3	. Bentonite	•	Other bent	onite hole plu	ug
							_	
What is the nearest source of possible co	7 1014	1	0. Livestoc	k pens	13. Insection	cide storage	15. Oil well/0	Sas well
1. Sepuc tank 4. Lateral lines 1. Sepuc tank 4. Abandan water well 16. Other (specify but the sepucity but the sepucity but the sepucity but the sepucity but the sepucition of the sepucition o								
2. Sewer lines 5. Cess P		•	2. Fertilizer	_	14. Aband	on water wen		
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Feed yard 13. F				o.o.ugu	How ma	ny feet? 56 f	t. plus	
	LITHOLOGIC LOG		From	То			GÎC LOG	
			0	8	well pit			
			8	10	cement grou			
			10	28	bentonite ho	ole plug		
								
7 Contracted and and arranda Contract	notion: This weter well was 4	oonst-ust-	2 50	constructo	d or 3.	plugged	under my jurisdic	tion and
0/21/2011								
was completed on (mo/day/year)				-			/2011	
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 9/22/2011								
under the business name of Harp Well and Pump Service by (signature) Todd S. Horp								