WATEF	R WELL REC	CORD	Form W	WC-5	Divi	ision of Water	r Resources App. No).	***************************************		
1 LOC	ATIONOF WA	MER WELL	Fraction E 1/4 SE		Section	n Number	Township No.	Range N			
	y: 255					<u> </u>	TZZS	R	XE []W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude:					
(The second sec					Longitude: (in decimal degrees)						
2368 - Spruce						Elevation:					
2 WATER WELLOWNER: ON KOLLE					Datum: WGS 84, NAD 83, NAD 27 Collection Method:						
RR#, Street Address, Box #: 2368 a bjource City, State, ZIP Code : with the Karaman Carlot Code : With the Carlot						☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
Спу,	State, ZIT Code	· west	woke a	1211	Est. Ac	igitai Map/Ph curacy: [] <	oto, [] Topographic 3 m, [] 3-5 m, []	лиар, 5-15 m, [∟and Surv]>15 m	еу	
	TE WELL				CONTRACT AND				***************************************		
WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL								3)		ft.	
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr										Ž.	
Pump test data: Well water was								gp	m		
								gp	m		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well											
SW SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below											
☐ Irrigation ☐ Industrial 🐧 Domestic-lawn & garden ☐ Monitoring well										•••	
	S If yes, mo/day/yr sample was submitted										
	-1 mile		fected? Yes								
5 TYPE OF CASING USED: Steel Y PVC Other											
CASING JOINTS: St Glued Clamped Welded Threaded Casing diameter ft., Diameter in. to ft., Diameter f											
Casing height above land surface. 12 in., Weightlbs./ft., Wall thickness or gauge No. 16.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)											
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.										. ft.	
From ft. to ft., Fr						. ft., From	ft.	to		. ft.	
					ft., From ft. to ft ft ft.						
6 GRO	UT MATERIAI										
Grout In	tervals: From		ent Cement grou	a	ft. to	ft.,	From	. ft. to	• • • • • • • • • • • • • • • • • • • •	.ft.	
What is the nearest source of possible contamination:											
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestocl ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel store											
X	Watertight sewer l	lines Seepage 1	Lorent C C	Fertilizer s	torage [☐ Oil well/ga	s well				
Direc FROM	tion from well	LITHOLOG	HCLOG-	. Distance FROM	from well TO	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	OG (cont.) or PLU	GGING	NTEDVA		
O	7 0	In Line	sel n	7	10	LILLIO, LA	oo (vont.) <u>ot</u> PLC	Unio	LILLIX V F	السد	
7.	14 1		ay say								
14	26 8	areton	- Sand					······································	***************************************		
26		Hake 4	Lay						W		
								ope (n. p.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗶 constructed, 🗌 reconstructed, or 🗌 plugged											
under my jurisdiction and was completed on (mo/day/year)											
Kansas Water Well Contractor o License No. 17.73. This Water Well Record was completed on (mo/day/year) 10.52. Under the business name of 15.64. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18											
INSTRUC	TIONS: Use typev	vriter or ball point per	n. <u>PLEASE PRESS FIRM</u> L	Y and PRINT cl	early. Plea	se fill in blank	s and check the correc	et answers.	Send three		
(white, blu	ie, pink) to Kansas	Department of Health	and Environment, Bureau	of Water, Geol	ogy Section	n, 1000 SW Ja	ckson St., Suite 420,	Topeka, Ka	nsas 66612-	-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										us at	