WATER WELL RECORD SE SE SE SW Form WWC-5				Division of Water Resources App. No.			
1 LOCATION OF WA		Fraction 1/4 MAC 1/4 MAC	KW 1/4 1/2		T 27		
Street/Rural Address	of Well Location;	if unknown, distance	& direction	Global Posit	ioning System (GPS	nformation:	
from nearest town or	intersection: If at	owner's address, chec	k here .			(in decimal degrees)	
**************************************				Longitude: (in decimal degrees)			
				Elevation:	Elevation:		
* WATER WELL OWNER: David Hogan					WGS 84, □ NAD 83,	☐ NAD 27	
RR#, Street Address, Box #: 1420 Charles				Collection Method:			
G: G: 7TD G 1				☐ GPS uni	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
City, State, ZIP Code : Wichda KS				Est. Accuracy	Est. Accuracy:		
3 LOCATE WELL			~~				
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	$^{\mathrm{L}}$		ft.		
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
X	Pump test data: Well water wasft. after hours pumping gpm						
NW NE	-NW						
w E Bore Hole Diameter							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
<u>'</u>							
5 TYPE OF CASING USED: Steel YOU Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft. ft. from ft. to ft.							
SCREEN-PERFORATE	D INTERVALS:	From 40	ft. to 50	ft., F1	om	ft. to ft.	
		From	ft. to	ft., F1	rom	ft. to ft.	
GRAVEL PAC						ft. to ft. ft. to ft.	
		From	ft. to	ft., F1	rom	ft. to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From							
Grout Intervals: From	1 It. to	o. <i>A J</i> ft., Fron	n	ft. to	ft., From	ft. toft.	
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Watertight sewer lines Seepage pit Feedyard Fertilizer stor							
Direction from well	SOUTH	it 🔲 recuyatu		from well	45!		
FROM TO	LITHOLOG	IC LOG	FROM			LUGGING INTERVALS	
	OSOLL	IC EOG	TROM	10 1111	10. L00 (cont.) <u>or</u> 1	LUGGING INTERVALS	
0 2 TD 2 18 Sa	odu Cla		+				
	VYST SO	nd & grav	01				
10 00 00	VISE OU	ra - grav	<u> </u>				
			-				
			1				
			 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This was the second of the							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 💢 constructed, \Box reconstructed, or \Box plugged under my invidication and was completed on (madday/war)							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. (2.1.)							
under the business name of							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							