County:		VATER WELL:	Fraction	N.DE 17	78.T% % 7 4 /	Section Nun	1	o Number	Range Number
		tion from nearest town	NE 1/4		NW 1/4	10	T 2'	7 S	R 1 (E/)W
2251 E.	. 21st St	reet North, Wichi	ita	address of well if	located withir	city?			
		OWNER: Public Health							
	Address, E	Environment	al Health Divisio	n					
	, ZIP Cod	Tago E. Minth							ision of Water Resources
				***************************************			Application		
WITH	/N "X" IN	SECTION BOX: L	DEPTH OF C	OMPLETED WEL	L 2,1	ft. E	LEVATION:		
		N ID	epth(s) Ground	dwater Encounter	ed 1		. ft. 2	ft.	3
·		X N	ELL'S STATIC	WATER LEVEL		ft. below lar	d surface measure	ed on mo/day/	/yr
	N/M	NE -	Pump	o test data: Well	water was	NA1	t. after	hours pu	mpinggp
- 1		Es	st. Yield ${f N}$	${f A}_{\cdots}$ gpm: Well	water was		ft. after	hours pu	mping gp
wL	·	E B	ore Hole Diam	eter11 i			ft., and	ir	ı. to
w		- W	ELL WATER	TO BE USED AS:		ater supply	8 Air conditio	ning 11	Injection well
	- sw -	SE	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering		Other (Specify below)
	JVV		2 Irrigation	4 Industrial		id garden only	10 Monitoring	الصر	Soil vapor extract.
L				l/bacteriological s	ample submitt				, mo/day/yr sample was
			ubmitted				Water Well Disinfe		No_ √
		CASING USED:		5 Wrought iron		oncrete tile			d Clamped
1 Ste		3 RMP (SR)		6 Asbestos-Cen		her (specify b			led
(2)PV		4 ABS		7 Fiberglass					aded. 🗸
ank casir	ng diamet	er i	n. to 1.	1 ft., Dia .		in. to	ft., Dia.		. in. to
asing heig	ght above	land surface	. 0	in., weight		lk	s./ft. Wall thickne	ss or gauge N	No Sch. 40
/PE OF S	SCREEN	OR PERFORATION M	T ATERIAL	3 - 1 - 1	(7)	PVC		sbestos-cem	
1 Ste	eel	3 Stainless ste		5 Fiberglass	8	RMP (SR)	11 (Other (specify) <i></i>
2 Bra		4 Galvanized		6 Concrete tile	9	ABS	12 N	lone used (op	en hole)
		DRATION OPENINGS		5 G	auzed wrappe	ed	8 Saw cut		11 None (open hole)
	ontinuous	\ 1 '			/ire wrapped		9 Drilled holes	3	
	uvered sh		punched	7 To	orch cut		10 Other (spec	ify)	
CREEN-P	PERFORA	TED INTERVALS:	From	. 11 ft. t	o	ft.,	From	ft.	to
C	ם איירים	ACK INTERNALO.	From	ft. t	0	ft.,	From	ft.	to
G	TV4VEL P	ACK INTERVALS:	From	ז .זו צ	0	ft.,	From	ft.	to
ODOUT	NAA TE DIA								to
	MATERIA			Cement grout	(3)B	entonite	4 Other		,
out inter	vais: ⊢ro	om	to9	ft., From		ft. to			ft. to
		source of possible co					vestock pens		bandoned water well
1 Septic tank 4 Lateral lines			7 Pit privy			uel storage		il well/Gas well	
				8 Sewage	-				ther (specify below)
o vvate ت irection fr		er iines 6 Seepage At abandoned	e pit Lass station	9 Feedyar	d		secticide storage		
FROM	TO		JTHOLOGIC L		FROM		nany feet? 0		
0	0.5	Asphalt,	JIII OLOGIC L	.00	FRON	1 TO	ŀ	PLUGGING IN	HERVALS
0.5	10	Clay, silty to v. s	ilty Cray						
10	13	Silt, v. sl. clayey,		779					
13	16	Silt, clayey, Gray	V-MONITO-11-11-11-11-11-11-11-11-11-11-11-11-11	' A I					
16	17	Sand, vf-f, Gray	BIUWII						
17	20	Silt, sandy, claye	v. Cuar						
20	21	Sand, vf-m, Grav	·					***************************************	
20	41	Sanu, vi-m, Gray	/	-					

				,					
							CXICA ST		
							SVE5, Flushmou	nt	www.
							+		
							<u></u>		
		OR LANDOWNER'S C			ll was (1) con:				
		n (mo/day/year)				and this	record is true to the	ne best of my	knowledge and belief.
		Contractor's License N			This Water W		. /1	ng/day/yr) 🎣	1-23-/1
ier the bu	usiness na	ame of	Geo	Core, Inc.		by (sig	nature) / ALE	POBL (B	y DM)
INSTRUC Departme	TIONS: Us ent of Health	e typewriter or ball point pe and Environment, Bureau	n PLEASE PRE	SS FIRMLY and PRIA	IT clearly. Pleas Telephone: 913-2	a fill in blanke un	doding or girals the con	not onautora Co	end top three copies to Kansas n one for your records.

WATER WELL RECORD Form WWC-5 KSA 82a-1212