41.05	TOUR	14		WELL RECORD	Form W	NC-5 KSA			PARTIES NO.	
		VATER WELL:	Fraction	78. TTP-1		Section Num	ber Townshi	p Number	Range Number	
	Sedgwi		NE 1/4		NW 1/4	10	T 2	7 S	R 1 (E)W	
2251 F	and direct	ion from nearest to reet North, Wic	own or city street ac	ldress of well if loo	cated within	city?				
		OWNER: Public Hea	alth & Utilities							
	Address, E	Environme	ental Health Division				Doord of A		alam at Malam Da	
City, State, ZIP Code : Wichita, KS 67214								Board of Agriculture, Division of Water Resources Application Number:		
3 LOCA	TE WELL'S			1PLETED WELL.	21	ft. EL				
	VIA V 11A	N	Depth(s) Groundwa	ater Encountered	1		ft. 2	ft.	3 ft	
A I	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\								yr	
1	NNA/	NE J	Pump te	est data: Well wa	ater was	<b>NA</b> ft	. after	hours pui	mpinaapm	
	1400	INE -	Est. Yield NA.	gpm: Well wa	ater was	, ft	. after	hours pu	mping gpm	
Mile M			Bore Hole Diamete	r <b>.11</b> in.	to	<b>21</b> ft	., and	ir	i. to ft	
= "		<del>  </del>  E	WELL WATER TO	BE USED AS:	5 Public w	ater supply	8 Air conditio		Injection well	
	0)44		1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	(12)	Other (Specify below)	
1 [	SVV	SE	2 Irrigation	4 Industrial	7 Lawn an	d garden only	10 Monitoring	الصم	Soil vapor extract.	
<u></u>	<u> </u>		Was a chemical/b	acteriological sam	ple submitte	ed to Departme	ent? YesNo	√; If yes	, mo/day/yr samble was	
TVDE	OE DI ANIZ	S   CASING USED:	submitted	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			Nater Well Disinfe		No	
5 TYPE 1 S		CASING USED: 3 RMP (SF		Wrought iron		ncrete tile			d Clamped	
(2)P		•		Asbestos-Cemer		ner (specify b			led	
		4 ABS		Fiberglass					aded. 🗸	
Cacina ba	ing diamen	lond surface	. m. to	π., Dia		n. to	ft., Dia.		. in. to ft.	
TVDE OF	SCDEEN!	iand surface OR PERFORATION	······································	, weight		lb:			lo Sch. 40	
					<b>A</b> A	PVC		Asbestos-cem	ent	
1 \$		3 Stainless	_	Fiberglass		RMP (SR)			),	
	rass Op dedec	4 Galvanize RATION OPENING	_	Concrete tile	_	ABS		lone used (op	,	
	Continuous				zed wrappe	d	8 Saw cut		11 None (open hole)	
	ouvered sh				e wrapped		9 Drilled holes	=		
		TED INTERVALS:	ey punched	7 Toro			10 Other (spec	oify)		
OOI (ELIA	I LIN OIV	ILD HAILINVALS.	From	ul			From		to	
C	SRAVEL PA	ACK INTERVALS:	From	9 ft to	21		From	π.	to ft.	
			From	ft to	· · · · · · · · · · · · · · · · · · ·		From		to ft.	
GROU	Γ MATERIA	L: 1 Neat o		Cement grout	200					
			ft to 0	ft From		ntonite	4 Otner			
Mhat is th	e nearest s	source of possible	contamination:	tc., MOIII,						
		4 Latera					10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Latera 2 Sewer lines 5 Cess						<b>\</b> /	11) Fuel storage 15 Oil well/Gas well			
	ertight sew		,			12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage				
	from well?		ned gas statio	) a reedyard			any feet?			
FROM	ТО		LITHOLOGIC LO		FROM			PLUGGING IN	ITERVALS	
0	0.5	Asphalt,			1.1.017	1		FOOGING II	TILITYALO	
0.5	3		own to Dark Bo	wn						
3	9	Clay, silty to v							1914	
9	16	Silt, clayey, Gi								
16	17	Sand, vf-f, Gra								
17	19	Silt, clayey, Gr	······································						· · · · · · · · · · · · · · · · · · ·	
19	21	Sand, vf-m, Gr		77011						
		~ · · · · · · · · · · · · · · · · · · ·	· J							
				77777						
-				2.001						
						+	SYNE C FILL I	w. #		
							SVE6, Flushmou	nt .		
							•			
CONTR	ACTODIC (		OCDITIOATION	The factor of the state of the						
	nu iUKS (	ON LANDOVVNERS	S CERTIFICATION:	inis water well v						
						and this	record is true to the	ne best of my	knowledge and belief.	
nder that	ater vvell C ousiness na	onu actor's License	e No		iis vvater W			1	1.40.74	
				ore, Inc.		by (sign	F 4.0 C 5	ROBE (B	x 75m)	
INSTRU Departn	ICTIONS: Us nent of Health	e typewriter or ball poin and Environment, Bure	t pen. <i>PLEASE PRESS</i> eau of Water, Topeka, Ka	<i>FIRMLY</i> and <i>PRINT</i> on ansas 66620-0001. Te	clearly. Please lephone: 913-2	fill in blanks, und 96-5545. Send o	lerline or circle the con ne to WATER WELL C	rect answers. Se WNER and retail	end top three copies to Kansas n one for your records.	