WATER WELL REC	CORD	Form W	WC-5	Division of Wate	r Resources App. No	,
1 LOCATION OF WA	TER WELL:	Fraction / /	100	Section Number	Township No.	Range Number
County: Society	Wick	1/4/W/1/2SI	1/4	10	T 27 S	R ZE W
Street/Rural Address from nearest town or i				Global Positioning		
nom hearest town of i	mersection. If at			(in decimal degrees)		
		Longitude: (in decimal degrees) Elevation:				
2 WATER WELL OWNER: Oak 1 0910N				Datum: WGS 84, NAD 83, NAD 27		
RR#, Street Address, Box #:				Collection Method: GPS unit (Make/Model:)		
2 WATER WELL OWNER: Oar Legion RR#, Street Address, Box #: City, State, ZIP Code: 1553 N Poplar ave Wichta Ko				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
3 LOCATE WELL	Wit	Lita Ko		Est. Accuracy: <	3 m, ☐ 3-5 m, ☐	5-15 m, □ >15 m
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L 50	ft.		
SECTION BOX:	Depth(s) Ground	lwater Encountered	(1)	ft. (2)	ft. (3	3) ft.
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr					
Pump test data: Well water was						
NW NE W	Bore Hole Diam	eter 1.2in. to .	f	t andin.	to	nng gpm ft.
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? Yes No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to ft., Diameter ft., Diameter ft. Casing height above land surface in, Weight ft., Wall thickness or gauge No.						
Casing height above land surface						
Steel Stainless Steel VC Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From 5U ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From						
6 GROUT MATERIAL: Neat cement Gement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination. Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well FROM TO	LITHOLOG	IC LOG	FROM	from well TO LITHO. LO		GGING INTERVALS
	20 5	7	1 KOW	TO LITTO. LC	70 (cont.) <u>or</u> 1 LO	GOING INTERVALS
0 2 TO 2 19 C	lay					
19 31 m	ed 5ag	nd,				
31 50 3	lue s	196				
7 CONTRACTORS OF	DIANDOSSALED	ote CEDTIFICATIO	No This	#alla	noted [] :	oted on \square -1 1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 2 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No C. I This Water Well Record was completed on (mo/day/year) 3						
under the business name of						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>FRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Ser	nd one copy to WAT	ER WELL OWNER and	retain one for ye	our records. Include fee	of \$5.00 for each <u>co</u>	enstructed well. Visit us at
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212						
11011 024-1212						