Corrected Lections

V ...

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Sedgwick	Fraction NW 1/4 NW 1/4 SW 1/4	Section Number Township No. Range Number 36 T 27 S R 1 ZE W	
Street/Rural Address of Well Location; i		Global Positioning System (GPS) information:	
from nearest town or intersection: If at o		Latitude: 37.65667 (in decimal degrees) Longitude: 97.28017 (in decimal degrees) Elevation:1334.90	
2048 S. OLIVER STREET, WICHITA	-	Longitude: 97. 28017 (in decimal degrees)	
	ι, το	Elevation:1.33.4.90	
2 WATER WELL OWNER: KDHF-F		- <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
TOTAL COLLEGE		Collection Method:	
City Ctoto 7TD Co. 1-	V JACKSON STREET	GPS unit (Make/Model:)	
TOPEK	A, KS 66612-1367	☐ Digital Map/Photo, ☐ Topographic Map, ☒ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL			
WITH AN "X" IN 4 DEPTH OF 6	COMPLETED WELL 40.0	ft.	
SECTION BOX: Depth(s) Ground	water Encountered (1).~25'	ft. (2) ft. (3) ft.	
WELL'S STAT	C WATER LEVEL. 24.90ft	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr	
	test data: Well water was	ft. after hours pumping gpm	
NW -NE EST. YIELD	gpm. Well water was	ft. after hours pumping gnm	
W X E Bore Hole Diam	eterin. to	ft., andft.	
1 1 1 1	TO BE USED AS: Public was		
swse Domestic Irrigation	☐ Feedlot ☐ Oil field wat	er supply Dewatering Other (Specify below)	
S If yes, mo/	day/yr sample was submitted	b Department? [] Fes [V] No	
Water well disin	fected? Yes No	***************************************	
5 TYPE OF CASING USED:			
Casing diameter 2 in to 20 ft Diameter in to			
Casing diameter .2			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)			
☐ Brass ☐ Galvanized Steel	None used (open hole)	(opening)	
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From20. ft. to40. ft., From ft. to			
SCIUDIV-I EIG OKATED INTERVALS.	From # to	π., From ft. to ft	
GRAVEL PACK INTERVALS:	From		
Ordividual Interception,	From ft to	ft., From ft. to f	
6 GROUT MATERIAL: Neat ceme	ent III ement grout VIRento	nite Other	
Grout Intervals: From .1 ft. to		ft. to	
What is the nearest source of possible conta	amination:	The total and the second secon	
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Vother (specify below)			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site			
Direction from well			
Direction from well	FROM FROM	TO LITHO LOG (cont.) or PLUGGING INTERVAL	
0 1 Asphalt	TKOM	TO LITHO. LOG (cont.) or PLUGGING INTERVAL	
1 6 Clay, silty			
6 15 Clay, silty			
15 37 Clay, sandy			
37 40 Weathered Shale		MW6R	
		IVIVVOIX	
		CARRECTER	
		VVINIUVII.U	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .2/09/2012 and this record is true to the best of my knowledge and belief			
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on maddadyear 202/30/2012			
under the business name of Coranco Great Plains, Inc. by (signature) Yall all Colleges			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct angular sense of the correct a			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
ittp://www.kdneks.gov/waterweii/index.ntml.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			