WATER WELL RECORD Form WWC-5						vision of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL: County:			Fraction 1/4 WE 1/4 SW 1/4		Section	on Number	Township No.	Range Number R E W	
		ddress of Well Location;		49/4			System (GPS) ir		
	nearest to	wn or intersection: If at	owner's address, che	Latitu	Latitude: (in decimal degrees)				
1667 m Charles						Longitude: (in decimal degrees) Elevation:			
2 WATER WELL OWNER: M MILLIAM						Datum: WGS 84, NAD 83, NAD 27			
						Collection Method: GPS unit (Make/Model:)			
	State, ZI	P Code :	3 charl		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Town recommendation of the state of the stat									
WITI	H AN "X"	IN A DEPTH OF	COMPLETED WE	MPLETED WELL 40 ft.					
SECTION BOX: N Depth(s) Groundwater Encountered (1)									
Pump test data: Well water wasft. after hours pumping gpm									
	V NE	EST. YIELD	gpm. Well water was						
W Bore Hole Diameter									
SM	V4 SE	☐ Domestic	☐ Feedlot ☐	Feedlot Oil field water supply Dewatering Other (Specify below					
☐ Irrigation ☐ Industrial ☒ Domestic-lawn & garden ☐ Monitoring well									
If yes, mo/day/yr sample was submitted									
Water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled notes None (open note) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.									
Grout Intervals: From									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel stora Watertight sewer lines Seepage pit Feedyard Fertilizer						Oil well/g	as well		
Direc	ction fron	n well	£	Distanc	e from w	ell/5.	· · • • • • • • • • • • • • • • • • • •	IGOING ENTERNALIC	
FROM	TO	LITHOLOG	ic log,	FROM	ТО	LITHO, L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0	23	Fino.	To So	2//					
73	40	Carre	In S	ord					
								<u></u>	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year)									
under the business name of harday from the business name of harday									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephon	e 785-296-	5524. Send one copy to WA							
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212									