MW-Z							<u> </u>		
WATER WELL RECORD Form WWC-5					ivision of Wate	r Resources App. N	o. L		
1 LOCATION OF W	ATER WELL:	Fraction	Secti	Section Number Township No. Range Numb			Number		
County: Sedquoick		145E 45E	= 14NW 1	4	16	TZTO	R 1		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Globa	Global Positioning System (GPS) information: Latitude: 37				
1050 N, mosely, with the section is at owner's address, check here					Longitude: 9.70 19 36.88 W. (in decimal degrees)				
in alley					Elevation:				
2 WATER WELL OWNER: 4 C And 8					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
2 WATER WELL OWNER: Aerospace Controls / RR#, Street Address, Box #:					GPS unit (Make/Model:)				
City, State, ZIP Code : Teleflex					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL							5-15 m,	<u> </u>	
with an "x" in 4 DEPTH OF COMPLETED WELL									
					ft. (2) ft. (3) ft.				
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day Pump test data: Well water wasft. after									
EST. YIELDgpm. Well water was									
W Bore Hole Diameter									
	WELL WATER	TO BE USED AS: [Public wa	ter supp	ly ☐ Ge	othermal I	njection	well	
WELL WATER TO BE USED AS:									
Was a chemical/bacteriological sample submitted to Department? Yes X No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☐ Yes 🔀 No									
5 TYPE OF CASING USED: Steel YPVC Other Ot									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter									
Casing height above land surface in., Weightlbs./ft., Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.									
From									
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							i. hala)		
Sewer lines Cesspool Sewage lagoon Fuel storage									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well									
FROM TO	TO TO		OG (cont.) or PLU						
TROW TO	LITHOLOG	IC LOG	FROM	10	LITIO. L	od (cont.) or The	GGII4G	INTERVALS	
	4								
0 1 7	δρ ξον /								
1' 6' 5	Silty clay							****	
17' 25' 5	1th sand			:				<u> </u>	
				,					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No. 20. This Water Well Record was completed on (mo/day/year) . 8. 8									
under the business name of EN war was Driver. From the Land Service of the control of the surface of the control of the contro									
(white, blue, pink) to Kansa	s Department of Health	and Environment, Bureau	of Water, Geo	logy Secti	on, 1000 SW Ja	ckson St., Suite 420,	Topeka, Ka	ansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									