County: <u>Sedqwick</u> Fraction NW SW SE NU	JSec. <u>2/</u> T <u>27</u> S R / EW
CORRECTION(S) TO WATER WELL COMPL (to rectify lacking or incorrect in	ETION RECORD (WWC-5) formation)
Owner: The Coleman Co.	
Location was listed as:	Location changed to:
Section-Township-Range: $2/-275-/$ Fraction (1/4 1/4 1/4): $5\psi s \in NW$	21-275-1E
Fraction ( $\frac{1}{4}$ $\frac{1}{4}$ ): $\underline{SW} \leq \underline{FW}$	NW SW SE NW
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: Written & legal descrip and mapping tool on KGS web.	site, city street map,
	initials: ATTA date: 10/4/2012
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Con	stant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

-----

## GSI Job No. 127249

5

	WATER WELL RECOP	1D Form WWC-5	5 KSA 82a-	212 ID No.	
LOCATION OF WATER WELL:	Fraction	1 -	ection Number	Township Number	Contraction of the local division of the loc
	SW 1/4 SE 1/4			T 27 S	R <b>1</b> E/W
istance and direction from nearest tow	wn or city street address of well if le	ocated within city?	)		
Southwest corner of intersect		Fe Railroad tr	racks – Wic	nita	
WATER WELL OWNER: The C					
	N. Hydraulic			Board of Agriculture,	Division of Water Resources
ity State ZIR Code Wichit	ta KS 67219			Application Number:	
AN "X" IN SECTION BOX:			<b>~ ~</b>		
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED W	ELL	20 ft. ELE	VATION: 12	98.11 (TOC)
	Depth(s) Groundwater Encounte	aeu i		L, Z	. 3 ft.
NW NE	WELL'S STATIC WATER LEVE	L 16.26	ft. below TOC	measured on mo/day/yr	. 3 ft. 08/03/12
	Pump test data: W	ell water was		ft. after hou	rs pumping gpm
₿ W × E	Est. Yield apm: W	ell water was		ft.after hou	rs pumping gpm
	Bore Hole Diameter 8	in, to	20	ft. and	in. to ft.
SW SE	WELL WATER TO BE USED AS	5: 5 Public wate	r supply	8 Air conditioning	11 Injection well
	Bore Hole Diameter 8 WELL WATER TO BE USED AS 1 Domestic 3 Feed lot	6 Oil field wat	ter supply	9 Dewatering	12 Other (Specify below)
	2 Irrigation 4 Industrial	7 Lawn and g	garden (domes	ic) 10 Monitoring well	
S	Was a chemical/bacteriological	sample submitted	to Department	Yes No X If	yes, mo/day/yr sample was
				ater Well Disinfected? Yes	
5 TYPE OF BLANK CASING USED:					lued Clamped
	•	-Cement 9 Oth			
1 Steel 3 RMP	• •				
2 PVC 4 ABS					readed Flush
Blank casing diameter 2	in. to <b>10</b> ft., Dia	i	in. to	ft., Dia	in. to
Casing height above land surface	0 in., weight	0.703	lbs./ft	Wall thickness or gauge	No. SCH. 40
YPE OF SCREEN OR PERFORATIO	ON MATERIAL:		7 PVC	10 Asbestos-c	ement
	less steel 5 Fiberglas	S	8 RMP (SR)	11 Other (spec	xify)
2 Brass 4 Galva	anized steel 6 Concrete	tile	9 ABS	12 None used	(open hole)
CREEN OR PERFORATION OPENIL	NGS ARE: 5	5 Gauzed wrappe	ed	8 Saw cut	11 None (open hole)
1 Continuous slot 3	Mill slot 6	3 Wire wrapped		9 Drilled holes	
2 Louvered shutter 4	Key punched 7	7 Torch cut		10 Other (specify)	
SCREEN-PERFORATED INTERVALS		to 20	) ft.	From	ft. toft.
	From ft.	to	ft.	From	ft. toft.
GRAVEL PACK INTERVALS:		to 20	) ft.	From	ft. to ft.
di internor di internori di internori				From	ft. to ft.
6 GROUT MATERIAL: 1 Neat					
Grout Intervals From 1			ft. to	tt. ⊢rom	π. το π.
What is the nearest source of possible				stock pens 14	
1 Septic tank		Pit privy			Oil well/ Gas well
2 Sewer lines	-	Sewage lagoon		•	Other (specify below)
3 Watertight sewer lines	6 Seepage pit 9	Feedyard		ecticide storage	
Direction from well?			How mai		
FROM TO CODE	LITHOLOGIC LOG	FRC	ОМ ТО	PLUGGIN	IG INTERVALS
	oncrete				
	ill, clay with asphalt and cond	rete			
	hunks, black				
1 6 cr	and fine to seaves grained		1		
1 6 cr	and, fine to coarse grained		· · · · · · · · · · · · · · · · · · ·		
1 6 cr	and, fine to coarse grained				
1 6 cr	and, fine to coarse grained				
1 6 cr	and, fine to coarse grained				
1 6 cr	and, fine to coarse grained				
1 6 cr	and, fine to coarse grained			Survey: NAD83	SPC KS South
1 6 cr	and, fine to coarse grained			Survey: NAD83, Survey: NAD83, Survey: NAD83, Survey: NAD83, Survey: NAD83, Survey: Northing: 168629	
1 6 cr	and, fine to coarse grained			Northing: 168629	7.30
1 6 cr	and, fine to coarse grained				7.30
1 6 ct 6 20 S		IT well was (1) con	structed (2) re	Northing: 168629 Easting: 1650751	)7.30 .47
1 6 cł 6 20 Si 	IER'S CERTIFICATION: This wate			Northing: 168629 Easting: 1650751 constructed, or (3) plugged	<b>.47</b> under my jurisdiction and was
1 6 cr   6 20 Si     7 CONTRACTOR'S OR LANDOWN	IER'S CERTIFICATION: This wate 08/22/12	ar	nd this record i	Northing: 168629 Easting: 1650751 constructed, or (3) plugged a true to the best of my, kno	<b>17.30</b> <b>.47</b> under my jurisdiction and was bwledge and belief. Kansas
1 6 ct 6 20 S	IER'S CERTIFICATION: This wate 08/22/12	ar Tł	nd this record i	Northing: 168629 Easting: 1650751 constructed, or (3) plugged a true to the best of my kno Record was completed on	<b>.47</b> under my jurisdiction and was