1 LOCATION OF WATER	WELL:					C-5 KS	SA 82a-12 TOWNSHI	12 P NUMBER	RANGE NUMBER	
Sedgwick		NW 1/4			1/4	19	т 2	7 s	R 1E	E/W
Distance and direction from 200 N. Meridia		y street address of w Vichita, Kans		city?						
2 WATER WELL OV		RIDIAN BAI					······································			<u> </u>
RR#,ST. ADDRESS,E		N. Meridian						Board of Agric	ulture, Division of V	Vater Resource
CITY, S		hita, Kansas				CODE:		Application Num	ber:	-
3 LOCATE WELL'S LOC WITH AN "X" IN SECT	TON BOX:	DEPTH OF COM			ft.		ELEVATION:	ai.		
N		epth of groundwat /ELL'S STATIC W			ft.	VI AND OU	SEASE ME A CL	ft. JRÉD ON mo/da	av/vr: 5/20	ft.
NW	NE V.		ump test data:	Well water		V LAND SUI	ft. after		of pumping @	gpm
1 1 1	1	Est. Yield:	gpm	Well wate	r was		ft. after		of pumping @	gpm
M Miles	' I I	Bore Hole Diamet		in.	to 4:	5 ft.	and	in.	to	ft.
		VELL WATER TO 1. Domestic		. Public wate	r supply S	7. Lawn ai	nd garden onl	9. Dewaterin	9	ction well pecify below)
	1 1			6. Oil field wa				10. Monitorin	g well	,
S		Was a chemical/bac ubmitted	teriological sample	submitted to De	partment?	YES Was W	NO ater Well Disin		/hat_mo/day/yr v	vas sample NO
5 TYPE OF CASI		5. Wroug	ht Iron 7	Fiberglass	9, Otl	ner (Specify	below) CAS	SING JOINTS: C	Glued	Threaded
1. Steel	3. RPM (S	SR)		. Concrete tile	SDF	R-26	•		Welded	Clamped
2. PVC Blank casing diameter	4. ABS	in. to	30 ft.,	Dia.	in.	to	ft.,	Dia.	n. to	ft,
Casing height above I		12 in.,	,			s. / ft.		nickness or gaug		
TYPE OF SCREEN OF		,		vveignt. 2		5. / IL.	wallu	ilckiless or gaug	e No214	
1. Steel 3.	Stainless Steel	5. Fiberglas	ss 7.	PVC	9. AE	BS	11. O	ther (specify)		
2. Brass 4.	Galvanized	Concrete	Tile 8.	RMP (SR)	10. As	bestos-Cem	ent 12. N	one used (open l	hole)	
SCREEN OR PERFOR					,				aa bi	
1. Continuous slot	3. Mill s		Gauzed wrap			ch cut		led holes	11. None (open noie)
2. Louvered shutter		•	. Wire wrapped	i	8. Sa v	v cut	10. Oth	er (specify)		
SCREEN - PERFORAT	TION INTERVAL		30 ft.	to	45	ft.,	From	ft.	to	ft.
ODAYEL BAG	W WITTEN ALO	From	ft. 24 ft.	to	45	ft.,	From	ft.	to	ft.
GRAVEL PAC	CK INTERVALS:	From	2-4 it. ft.	to to	45	ft.,	From	ft.	tó	ft.
6 GROUT MATERIA	VIS: 4 N	From		 	نيمو بسندن	ft.,	From	ft. Other hente	onite hole pl	ft.
Grout Intervals:	1.1164	t cement 4 ft. t	2. Cement o 24 ft.,	From	ft.	, Bentonite to	ft.,	From	ft. to	ug ft.
What is the nearest sou	urce of possible	contamination:							15. Oil well/	
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 2. Sever lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water wel										pecify below)
2. Sewer lines	5. Cess		9. Feed yard		. Fertilizer		14. Abano	oon water well	(-)	, , , , , , , , , , , , , , , , , , , ,
Own Direction from well?	East	age pit	o. i cca yara	1.2		otorage	How m	any feet? 10 f	t. plus	
From To		LITHOLOG	IC LOG		From	То		LITHOLO	GÎC LOG	
	topsoil									
	clay fine sand						<u> </u>			·
	medium sar	nd								
		······································								
	<u> </u>									
									······································	
7 Contractor's or L	ondown or - O	tification: This	forwall	a a net t	· · ·		or 2	nluaged	under my jurisdio	tion and
was completed on (tification: This war 5/20/201	7			constructed	or 3.		ander my jurisuit	Mon and

5/21/2013 This water well record was completed on (mo/day/year) Kansas Water Well Contractor's License No. 236

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp