			WATER W	ELL RF	CORD	Form	ı WW	C-5 K	SA 82a-12	12		
1 LOCATION	OF WATER	R WELL:	FRACTION			. 0111		ON NUMBER		P NUMBER	RANGE	NUMBER
Sedgw	vick .		SE 1/4	SW	1/4 SI	€ 1/4		34	т 2	7 s.	R 1	E E/W
			r city street address of wel		ithin city?							
	S. Voluts		Wichita,		~~~~~~							
	R WELL O ADDRESS,		OLLINGER, Rı 063 S. Volutsia	ıth						Board of Agr	iculture, Division of	Water Resource
KK#,31.7	CITY, S		Vichita, Kansas				715	CODE:		Application Nur	mber:	
3 LOCATE	WELL'S LO		4 DEPTH OF COMP	PLETED W	FIL	37	ft.	OODL.	ELEVATION:	, 10,000		
WITH A	N "X" IN SEC N	TION BOX:	Depth of groundwate				ft.			ft.		ft.
I	1 1	i i	WELL'S STATIC WA			FT.		V LAND SU	IRFACE MEAS	URED ON mo/	dav/vr: 5/2	0/13
	NW	-NE		mp test da		water wa		, _,	ft. after		s of pumping @	gpm
1		1	Est. Yield:	gpm	Well	water wa	as		ft. after	hour	s of pumping @	gpm
W Wije	- 	 E	Bore Hole Diamete	r 12	in.		to $3'$	7 ft.	and	in.	to	ft.
	sw	-SE	WELL WATER TO E				ا برامیمایی (7 Lawn a	ınd garden on	9. Dewater	'''y	ection well
	, ,	35		Feedlot						عر 10. Monitori		Specify below
	<u>_</u>	X	Was a chemical/bacte	Industrial riological sar				YES	NO		what mo/day/yr	was sample
			submitted						Vater Well Disir	nfected?	YES	NO
~		ING USED:	5. Wrought	t Iron	7. Fibergla	ass	9. Otl	ner (Specify	below) CA	SING JOINTS:	Glued	Threaded
بنسنين	Steel	3. RPN	A (SR)		8. Concre	to tilo	SDF	2-26			Welded	Clamped
	. PVC	4. ABS	,			to the			ė.	Di-		
	ng diamete			25 ft.,		• •	in. -	to	ft.,	Dia.	in. to	ft.
1		land surface:	12 in.,		Weight:	2.3	5 lb	s. / ft.	Wall t	hickness or gau	ge No21	4
1. Steel		R PERFORA . Stainless Ste	TION MATERIAL: eel 5. Fiberglass		7. PVC	ı	9. AE	3S	11. C	ther (specify)		
2. Bras		. Galvanized	6. Concrete		8. RMP (S	R)		bestos-Cer		one used (oper	hole)	
		RATION OPE	NINGS APE		,	,						
	nuous slot			Gauzed w	rapped		7. Tor	ch cut	9. Dri	lled holes	11. None (open hole)
	red shutte			Wire wrap			8. Sa v		10 Oil	ner (specify)	·	,
				•	-	`						
SCREEN -	PERFORA	TIÓN INTERV		20	ft.	to	37	ft.,	From	ft,	to	ft.
	SAVEL DA		From	24	ft.	to	25	ft.,	From	ft.	to	ft.
ال	RAVEL PAI	CK INTERVAL		24	ft.	to	37	ft.,	From	ft.	to	ft.
·····	ika wanika s		From		ft.	to		ft.,	From	ft.	to	ft.
드	JT MATERI		leat cement		nent Grout		3	. Bentonite		Other ben	tonite hole p	,O
1	ntervals:	From	4 ft. to le contamination:	24	ft., Fro	m	ft.	to	ft.,	From	ft. t	o ft.
1. Septio		· ·		7. Pit privy	,	10. Li	ivestocl	c pens	13. Insec	ticide storage	15. Oil well	/Gas well
2. Sewe	r lines	5. C e	ess Pool	3. Sewage	lagoon	11. F	uel stor	age	14. Aban	don water well	16. Other (s	specify below)
3. Water	tight sewe	r line 6. Se	eepage pit	. Feed ya	rd	12. F	ertilizer	storage				
	rom well?	Northw	LAMAS COLORS DE LA COLORS DEL COLORS DE LA COLORS DEL COLORS DE LA COLORS DE LA COLORS DEL COLORS DE LA COLOR	·					How n	nany feet? 10		
From	<u>To</u>		LITHOLOGI	<u>C LOG</u>		F	rom	То		LITHOL	OGIC LOG	
0	3	topsoil		 								· · · · · · · · · · · · · · · · · · ·
8	<u>8</u> 23	clay medium s	and									
23	39		gray shale		·····					·		
		 			·							
		<u> </u>				_	·····					· · · · · · · · · · · · · · · · · · ·
			-									
							· · · · · · · · · · · · · · · · · · ·					
	<u> </u>											
												· · · · · · · · · · · · · · · · · · ·
7 Cont	ractor's or	l andowner's C	Dertification: This wate	r well was	1 Conetru	cted	9 re-	constructe	d or 3,	plugged	under my jurisd	iction and
		200 AND A. T.	# / D / D / D / D								and any juniou	und
	217.0	(mo/day/year)	•	,				•	knowledge and		2/2012	
			License No. 236			er well re		•	d on (mo/day/ye		3/2013	
under th	ne business	name of H	arp Well and Pu	mp Serv	vice		by (si	gnature)	7	odds	S. Har	þ
L	100, 4 4 1 W.	7 8 8 4 4 4 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 / T						<u>.</u>		o total	