•					The second secon	
	ATER WELL RECORD	Form W W			App. No.	
1 '	LOCATION OF WATER WELL: County: Seggwick	Fraction SE NE	NW NW Section N	umber Township	Number Range No	unber
		(AUT)			B REF	
	Distance and direction from nearest town or	city street address of			minial degrees, min of a	digits i
	located within city?		Latitude:			
2	WATER WELL OWNER: 2107	N. RWERSIA Kg. 67203	= Blub Lingitud			
Sec.	RR#, St. Address, Box #	14, 1210 02212	Liseation).		
	City, State, ZIP Code WICKITA	K3. 61203	Datam.			
7			Data Cari	ketian Method:		
. 3	LOCATE WELL'S 4 DEPTH OF CON- LOCATION	TELEVIENT AND AND THE		the second		
		er Encountered (1)	ft.	(2) ft	(3)	ft
		ATER LEVEL	ft. below land	I surface measured or	n mo/dav/vr	
			ft. after			
			ft. after			
	WELL WATER TO	BE USED AS: 5 Pu	blic water supply	8 Air conditioning	11 Injection well	O,
W	1 Domestic 3 Fe	edlot 6 Oil fie	ld water supply	9 Dewatering	12 Other (Specify	below)
	2 Irrigation 4 Ir	ndustrial 7 Dome	stic (lawn & garden)	10 Monitoring well		
	SW SE		No. 10. 70.		Y.C. (1	
	was a chemical/bacte	eriological sample sul	omitted to Department Water well disin	t? Yes No.	; If yes, mo/d	ay/yrs
	S Sample was submittee	·u	Water wen dism	REAL		
2						
.79	TYPE OF CASING USED: 5 Wrough 1 Steel 3 RMP (SR) 6 Asbesto	s-Cement 9 Oth	ncrete tile	CASING JOINTS: (Glued Clamped	
	2 PVC 4 ABS 7 Fibergla	s-Cement 9 Om	er (specify below)		WcIded Threaded	
Bla	ank casing diameter in. to		in to	ft Diameter	in to	ft
Ca	sing height above land surface	in Weight	lbs./ft.	Wall thickness or gua	ge No.	
TY	PE OF SCREEN OR PERFORATION MAT	ERIAL:		, and internet of guar	.50	
	1 Steel 3 Stainless Steel 5 Fibe	erglass 7 PVC	9 ABS	11 Other (S	Specify)	
		erete tile 8 RM (S	R) 10 Asbestos-Co	ement 12 None us	ed (open hole)	
SC	REEN OR PERFORATION OPENINGS AR					
	1 Continuous slot 3 Mill slot 5	Gauzed wrapped 7	Torch cut 9 Drille		e (open hole)	
: 0	2 Louvered shutter 4 Key punched 6	Wire wrapped 8	Saw cut 10 Other	(specify)		
	REEN-PERFORATED INTERVALS: From	It. to			ft. to	ft.
	GRAVEL PACK INTERVALS: From			From .	ft. to ft. to	ft. ft.
		ft. to		From		ft.
			,			
6	GROUT MATERIAL: 1 Neat cement 2	2 Cement grout 3 B	entonite 4 Other			
	out Intervals From ft. to	ft., From	ft. to	ft., From	ft. to	ft.
Wt	nat is the nearest source of possible contamina					
	1 Septic tank 4 Lateral lines		10 Livestock pens	13 Insecticide stora		ecify
	2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit	8 Sewage lagoon	11 Fuel storage	14 Abandoned wat	/	
Dii	ection from well?		12 Fertilizer storage How many feet?	15 Oil well/gas we		
	OM TO LITHOLOGI		FROM TO	PLUCCI	NG INTERVALS	
	1.11.00001	- 200	26' 0	Concle	E INTERVALS	
				COMO P.	_	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, of plugged

http://www.kdheks.gov/waterwell/index.html.