	WATER WEI	LL RECORD F	Form WW	/C-5 K	(SA 82a-121	2		
1 LOCATION OF WATER WELL:						NUMBER	RANGE I	NUMBER
Sedgwick	NW 1/4 SW 1/4 NE			34	т 27	27 S R 1E EA		
Distance and direction from nearest town of	or city street address of well if	located within city?						
2413 E. Funston	Wichita, Kans	as	,					
I = 1	UNCAN, Bill					Board of Agri	culture, Division of	Water Resource
	005 E. 107th			_	14105	Dodia of Agri	caltare, Division of	Trater Nesource
CITY, STATE: T	ulsa, Oklahoma			P CODE: 7		Application Num	ber:	
3 LOCATE WELL'S LOCATION	4 DEPTH OF POMP	WELL: 1	3 ft.		ELEVATION:	crawl space floor		
WITH AN "X" IN SECTION BOX:	Depth of groundwater E	ncountered:	ft.			ft.		ft.
!	WELL'S STATIC WATE	ER LEVEL 11	FT. BELO	W LAND S	URFACE MEASU	RED ON mo/d	lay/yr: 11/1	12/13
NW	Pump	test data: Well wa	ter was		ft. after	hours	of pumping @	gpn
1 X X	Est. Yield:	gpm Well wa	iter was		ft. after	hours	of pumping @	gpm
M Miles	Bore Hole Diameter	in.	to	fi	. and	in.	to	ft.
 - 	WELL WATER 1					9. Dewaterii	ng 11. inje	ection well
SE	1. Domestic 3. Fe				and garden only			Specify below
	_	dustrial 6. Oil field v				10. Monitorin	i g well vhat mo/day/yr	was samala
S	Was a chemical/bacteriol submitted	ogical sample submitted to	Department?	YES Was	NO Water Well Disinfo	-	YES	NO
5 TYPE OF CASING USED:	Oddininou							
V	M (SR) 5. Wrought Iro	on 7. Fiberglass	9. O	ther (Specif	y below) CAS	ING JOINTS:	Glued Welded	Threaded
2. PVC 4. ABS	0.4-146	Cement 8. Concrete	tile				weided	Clamped
Blank casing diameter 5		ft., Dia.	in.	to	ft., [Dia. i	in. to	ft.
1								14.
Casing height of surface:	,	Weight:	10	os. / ft.	walithi	ckness or gaug	je No.	
TYPE OF SCREEN OR PERFORA 1. Steel 3. Stainless Ste		7. PVC	9. A	RS	11. Oth	ner (specify)	N/A	
2. Brass 4. Galvanized	6. Concrete Tile			sbestos-Ce		ne used (open		
		0.11111 (011)	10. 7	3003103-00	12.140	no abou (opon	110.07	
SCREEN OR PERFORATION OPE			- -		0 P-III		44 None (
1. Continuous slot 3. Mill slot 5. Gauzed wrapped			7. 10	7. Torch cut 9. Drilled holes 11. None (open hole)				open noie)
2. Louvered shutter 4. K	ey punched 6. Wi	re wrapped	8. Sa	w cut	10. Othe	or (specify) N_{ℓ}	'A	
SCREEN - PERFORATION INTERV	/AL From	ft. to)	ft.,	From	ft.	to	ft.
	From	ft. to)	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVAL	_S: From	ft. to	0	ft.,	From	ft.	to	ft.
	From	ft. to	0		From			
		·		ft.,		ft.	to	ft.
	Neat cement	2. Cement Grout		B. Bentonite	•		onite hole p	-
Grout Intervals: From What is the nearest source of possit	ft. to	ft., From	ft.	to	ft.,	From 1	ft. to	o 13 ft.
· ·	ateral lines 7. P	it privy	10. Livestoc	k pens	13. Insection	cide storage	15. Oil well/	Gas well
1. Oopilo tunk						16. Other (s	pecify below)	
		eed yard	12. Fertilize	r storage				
Oirection from well? South	sehade hir	302 , 2.2			How ma	ny feet? 50 f	t. plus	
From To	LITHOLOGIC	LOG	From	То	1		GIC LOG	
1000			0	1	cement		0.0 200	
			1	13	bentonite ho	ole plug		
					!			
				ļ				
			+		<u> </u>			
			+	 				
							·····	
			1					
			<u>. I </u>					
7 Contractor's or Landowner's C	Certification: This water w	ell was 1, constructe	d 2. re	constructe	ed or 3.	plugged	under my jurisdi	ction and
was completed on (mo/day/year)	11/12/2013	and this record	is true to the	best of my	knowledge and b	pelief.		
				_	d on (mo/day/yea		3/2013	
Kansas Water Well Contractor's L				,				_
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp								