WATER WELL RECORD	Form WV	NC 5	Di	vision of Wate	Decerned Are N		
1 LOCATION OF WATER WELL:	Form W	<u>vc-</u> 3		n Number	r Resources App. N Township No.	Range Number	
County: Sedgwick	14 NW4 SW	12 MILLI VA	Section	AR	T 27 S	$R 1 \square E \square W$	
Street/Rural Address of Well Location; if unknown, distance & direction				l Positioning	System (GPS) in	iformation:	
from nearest town or intersection: If at owner's address, check here .			Latitu	Global Positioning System (GPS) information: Latitude:			
Automax			Long	tude:	335,387	(in decimal degrees)	
940 South Broadway Street, Wichita, KS 67211			Eleva	tion:l.A	Mo	n karan Mina karan	
2 WATER WELL OWNER: KDHE-BER				Datum: WGS 84, 🗹 NAD 83, 🗌 NAD 27			
RR#, Street Address, Box #: 1000 SW Jackson, Suite 410				Collection Method:			
City, State, ZIP Code : Topeka, KS 66612-1367			Hì	Digital Map/Photo, Topographic Map, I Land Survey			
TODERA, NO 000 12-1307				Est. Accuracy: 🛛 <3 m, 🗋 3-5 m, 📋 5-15 m, 🗋 >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 3.5 ft.							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL (A, S) fit.							
SECTION BOX: Depth(s) Groundwater Encountered (1). I. Lo							
Pump test data: Well water was. N/Aft. after. N/A hours pumping. N/A							
$ \frac{1}{1} = 1$							
W WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Industrial Domestic-lawn & garden 🗹 Monitoring well MWY 1							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted N/A							
5 TYPE OF CASING USED:							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 2 in. to 1.5							
Casing height above land surface. 0							
Steel Stainless Steel Z PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Z Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 1.S., ft. to							
From N/A ft to N/A ft From N/A ft to N/A ft ft ft h							
From N/A ft. to N/A ft., From N/A ft. to N/A							
From. N/A							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0-2 feet Grout Intervals: From R. ft. to NA. ft. From NA. ft. to NA. ft. to NA. ft. to NA.							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						her (specify below)	
Sewer lines Cesspool Sewage lagoon Image: Sewage lagoon							
Direction from well Ea.S.T		Distance		1 2 50	Ffeet	******	
FROM TO LITHOLOG		FROM	TO	and the second	OG (cont.) or PLU	JGGING INTERVALS	
O 0.5 Hinch concrete	2: sches of sod	16.0	17.5	Sand was	rse to very	Warse gray	
0.58.5 Siltx clay gray	Slightly moist			moist	T		
Stiff plastic	·····	17.5	19.5	Sand F	ine dark	gray moist	
3.511 Sand Fine der	Kgray, Slightly	19.5	20	clax d	ork gray	Wet soft	
	miltpebbles '			plastic	saturate		
11 15,5 sand becomes	medium to	20	25	Sand	COONSE TO		
Coarse				Wet	stained	gay	
15.5 16.0 clax Dork gio	y moist soft					,	
plastic			·····			Anna - Anna Anna Anna Anna Anna Anna Ann	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, 🗌 reconstructed, or 🗌 plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on mo/day/year) .12(5/2013							
under the business name of .RAZEK Environmental. LLC by (signature)							
INSTRUCTIONS : Use typewriter or ball point per							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdbeks.gov/waterwell/index.html							