

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: Sedgwick	FRACTION SE 1/4 NE 1/4 NW 1/4	SECTION NUMBER 10	TOWNSHIP NUMBER T 27 S	RANGE NUMBER R 1E E/W
Distance and direction from nearest town or city street address of well if located within city? 2027 N. Grove Wichita, Kansas				
2 WATER WELL OWNER: WASHINGTON, William RR#,ST. ADDRESS,BOX #: 2027 N. Grove CITY, STATE: Wichita, Kansas Board of Agriculture, Division of Water Resource ZIP CODE: _____ Application Number: _____				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"> </div>	4 DEPTH OF COMPLETED WELL: 45 ft. ELEVATION: _____ Depth of groundwater Encountered: _____ ft. WELL'S STATIC WATER LEVEL 18 FT. BELOW LAND SURFACE MEASURED ON 12/12/13 Pump test data: Well water was _____ ft. after _____ hours of pumping @ _____ gpm Est. Yield: _____ gpm Well water was _____ ft. after _____ hours of pumping @ _____ gpm Bore Hole Diameter 12 in. to 45 ft. and _____ in. to _____ ft. WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply <u>7. Lawn and garden only</u> 9. Dewatering 11. Injection well 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well 12. Other (Specify below) Was a chemical/bacteriological sample submitted to Department? YES <u>NO</u> ; If yes, what mo/day/yr was sample submitted Was Water Well Disinfected? <u>YES</u> NO			
5 TYPE OF CASING USED: 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: <u>Glued</u> Threaded <u>2. PVC</u> 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26 Welded Clamped Blank casing diameter 5 in. to 35 ft., Dia. _____ in. to _____ ft., Dia. _____ in. to _____ ft. Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass <u>7. PVC</u> 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped <u>8. Saw cut</u> 10. Other (specify) SCREEN - PERFORATION INTERVAL From 35 ft. to 45 ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From 24 ft. to 45 ft., From _____ ft. to _____ ft.				
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout Intervals: From 4 ft. to 24 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below) <u>3. Watertight sewer line</u> 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? West How many feet? 10 ft. plus				
7	Contractor's or Landowner's Certification: This water well was 1. <u>constructed</u> 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 12/12/2013 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 12/18/2012 under the business name of Harp Well and Pump Service by (signature) Todd S. Harp			

INACTIVE WATER WELL REQUEST FORM WWC-6 KSA

In accordance with K.A.R. 28-30-7, Landowners may obtain the department's written approval to maintain wells in an inactive status rather than being plugged if the landowner can present evidence to the department as to the condition of the well and as to the landowner's intentions to use the well in the future. As evidence of intentions, the owner shall be responsible for properly maintaining the well in such a way that:

- The well and the annular space between the hole and the casing shall have no defects that will permit the entrance of surface water or vertical movement of subsurface water into the well;
- The well is clearly marked and is not a safety hazard;
- The top of the well is securely capped in a watertight manner and is adequately maintained in such a manner as to prevent easy entry by other than the landowner;
- The area surrounding the well shall be protected from potential sources of contamination within a 50 foot radius;
- If the pump, motor or both, have been removed for repair, replacement, etc., the well shall be maintained to prevent injury to the people and to prevent the entrance of any contaminants or other foreign materials;
- The well shall not be used for disposal or injection of trash, garbage, sewage, wastewater or storm runoff; and
- The well shall be easily accessible to routine maintenance periodic inspection.

INSTRUCTIONS: Please provide the department with the following information on your inactive well. Use typewriter or ball point pen. **PLEASE PRESS FIRMLY** and **PRINT** clearly. Please fill in all blanks, underline or circle the correct answers.

- LOCATION OF WATER WELL:** Fraction SE 1/4 NE 1/4 NW 1/4 Section # 10 Township # T 27 S Range # R 16 E W
County: Sedgwick
- WATER WELL OWNER:** William Washington
RR#, St. Address, Box #: 2027 N. Grove Wichita, KS City, State, Zip Code: 67214
- WATER RIGHT FILE No.:** _____ **4. DEPTH OF COMPLETED WELL:** 45 ft.
- WELL'S STATIC WATER LEVEL:** 18 ft.
- WELL PREVIOUSLY USED AS:**

1. Domestic	3. Feedlot	5. Public Water Supply	8. Air Conditioning	11. Injection Well
2. Irrigation	4. Industrial	6. <u>Oil Field Water Supply</u>	9. Dewatering	12. Other (below)
		7. <u>Lawn and Garden Only</u>	10. Observation Well	
- TYPE OF BLANK CASING USED:**

1. Steel	3. RMP (SR)	5. Wrought Iron	7. Fiberglass	9. Other (below)
2. <u>PVC</u>	4. ABS	6. Asbestos-Cement	8. Concrete Tile	
- GROUT MATERIAL:** 1. Neat Cement 2. Cement Grout 3. Bentonite 4. Other BENTONITE HOLE PLUG
Grout Interval: From 4 ft. To 24 ft.
- NEAREST SOURCE OF POSSIBLE CONTAMINATION:**

1. Septic Tank	4. Lateral Lines	7. Pit Privy	10. Livestock Pens	14. Abandoned Water Well
2. Sewer Lines	5. Cess Pool	8. Sewage Lagoon	11. Fuel Storage	15. Oil Well/Gas Well
3. <u>Watertight Sewer Lines</u>	6. Seepage Pit	9. Feedyard	12. Fertilizer Storage	16. Other (specify below)
			13. Insecticide Storage	
- WELL ORIGINALLY CONSTRUCTED BY:**
(Driller's Name): HARP WELL AND PUMP SERVICE, INC. City, State, Zip: Wichita, KS, 67209-1499
RR#, St. Address, Box #: 215 SO. TYLER ROAD
- DATE WELL PLACED ON INACTIVE STATUS:** 11/14/2014
- ESTIMATED REACTIVATION DATE:** 11/14/2016

I certify this water well currently in compliance with all applicable requirements for inactive wells and agree to maintain the well in accordance with K.A.R. 28-30-7f until such time well is either reactivated or plugged.

William T. Washington
Signature of Well Owner

RECEIVED

NOV 19 2014

BUREAU OF WATER