WATER WELL RECORD	Form W	VC-5	Division of Wate	er Resources App. No).
1 LOCATION OF WATER WELL:	Fraction		Section Number	Township No.	Range Number
County: Sedgwick	1/4 SE 1/4 NE	1/4 SW 1/4	21		R 1 ZE W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here			Global Positioning System (GPS) information: Latitude: .37,684269		
149 South Washington Street			Longitude: 97.326886 (in decimal degrees)		
Wichita, KS 67202			Elevation: 1323		
2 WATER WELL OWNER: City of Wichtaiks			Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:		
RR#, Street Address, Box #: 455 N. Man			GPS unit (Make/Model:)		
City, State, ZIP Code: With, tarks 67202			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
2. SEACATE WELL					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 2U					
WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1)/5					
Pump test data: Well water was, WAft. after, WA hours pumping, WA gpm					
EST. YIELD. N/A					
W Bore Hole Diameter 8.25 in. to .20 ft., and .N/A in. to .N/A ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
ow X or Domestic Feedlot Oil field water supply Dewatering Domestic Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well OBS-2					
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No					
S If yes, mo/day/yr sample was submitted. N/A					
5 TYPE OF CASING USED: Steel V PVC Other					
CASING IOINTS: Clued Clamped Welded Threaded					
Casing diameter 2 in. to 10 ft., Diameter N/A in. to N/A ft., Diameter N/A in. to N/A ft.					
Casing height above land surface. U					
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) 0.020-inch slot					
SCREEN-PERFORATED INTERVALS: From 10 ft. to 20 ft. From N/A ft. to N/A ft.					
From N/A ft. to N/A ft., From N/A ft. to N/A ft. GRAVEL PACK INTERVALS: From 8 ft. to 20 ft., From N/A ft. to N/A ft.					
From N/A ft to N/A ft From N/A ft to N/A ft.					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2 feet Grout Intervals: From .2					
What is the nearest source of possible contamination: Septic tank					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Northeast ☐ Distance from well .50-feet ☐ D					
FROM TO LITHOLOG		FROM			JGGING INTERVALS
	(-Fill				
	race fine sed blod				
9 11.5 CAND W/silt Trace	netimesax brown				
1 11:3 511:00 0 15:00 15:00	t trace clay				
brown					
		ļ	***		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .12-10-2013 and this record is true to the best of may knowledge and belief.					
Kansas Water Well Contractor's License No. 759. This Water Well Record was completed on (mo/day/year) 1/5/2014 under the business name of RAZEK Environmental LLC by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html					