WATER WELL RECORD	Form WV	VC-5	Division of W	ater Resources App. N	0.	
1 LOCATION OF WATER WELL:	Fraction				Range Number	
County: Sedgwick	1/4 SE 1/4 NE	1/4 SW 1/4	21	T 27 S		
Street/Rural Address of Well Location;	ing System (GPS) in					
from nearest town or intersection: If at owner's address, check here \Box .			Latitude:37.684361			
149 South Washington Street			Elevation: 1316			
Wichita, KS 67202			Datum: □ WGS 84, 🗹 NAD 83, □ NAD 27			
2 WATER WELL OWNER: City of Wichita, KS RR#, Street Address, Box #: 455 North Main			Collection Method:			
City, State, ZIP Code : Wichta, KS 67202		☐ GPS unit (Make/Model:) ☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Wich	vra145 6120) &	Est. Accuracy:	[] <3 m, [] 3-5 m, []	$5-15 \text{ m}, \square > 15 \text{ m}$	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 20. ft.						
4 DEPTH OF COMPLETED WELL 20						
Pump test data: Well water was. N/Aft. after. N/A hours pumping. N/A gpm						
V_{A} = VIELD N/A and W_{A} water was N/A ft after N/A hours pumping N/A and						
W E Bore Hole Diam	W Breach Bore Hole Diameter 8.25 in. to .20					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SW X SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well OBS-1						
Was a chemical/bacteriological sample submitted to Department? Yes Y No						
s If yes, mo/day/yr sample was submitted N/A						
$ 1 \text{ mile} \qquad \text{Water well disinfected?} \square \text{ Yes } \square \text{ No}$						
5 TYPE OF CASING USED: Steel V PVC Other						
CASING JOINTS: \Box Glued \Box Clamped \Box Welded \checkmark Threaded						
Casing diameter 2 in. to 10 ft., Diameter N/A in. to N/A ft., Diameter N/A in. to N/A ft.						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Steinless Steel VC Other (Specify)						
Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
\Box Continuous slot Z Mill slot \Box Gauze wrapped \Box Torch cut \Box Drilled holes \Box None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) 0.020-inch slot						
From						
GRAVEL PACK INTERVALS: From . 8 ft. to						
	From N/A	t to N/A	ff From	N/A ft	to N/A	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2 feet Grout Intervals: From .2ft. to .8						
Grout Intervals: From .2						
What is the nearest source of possible cont		Livestock p	ens 🗍 Insectio	eide storage 🛛 🗍 Ot	her (specify below)	
Sewer lines Cesspool	Sewage lagoon			ned water well	(
Watertight sewer lines Seepage] Fertilizer st	orage 🗌 Oil wel		<i></i>	
		FROM	from wellQ-fee TO LITHO		UGGING INTERVALS	
A second s	Some Five sal brown	FROM		. LOCI (Cont.) <u>or</u> I L		
0 3 CLAY some silt 3 5 (LAX WISIH So	The Fine scal Xellowish				annan tra the firm the second second	
S Drown	The time Scen Achevis.	`				
5 9 SAND some silt	brownish Yellow					
R 11 CLAY WISHT SON	refine sul brown					
11 20 SAND WISH	riace to some					
clay brown	4			and the second	annahani ana ang itang itang ang itang itang inda sakan dika na	
		· · · · · · · · · · · · · · · · · · ·				
		·····				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, 🗋 reconstructed, or 🗋 plugged						
under my jurisdiction and was completed on (mo/day/year) .12-10-2013 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year), 1/5/2014						
under the business name ofRAZEK Environmental, LLC						
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
·	http://www.kdheks.gov	/waterwell/inde:	x.html			