			MW-12					
WATER WELL RECO		Form W	<u>WC-5</u>			er Resources App. N		
1 LOCATION OF WATER WELL:		Fraction	., 6'19	Section	n Number		Range Number	
County: Sedgewick Street/Rural Address of Well Location; i		SE 1/4 SE 1/4 SE		6	23	T 27 S	R 1 ZE W	
			Global Positioning System (GPS) information:					
from nearest town or intersection: If at owner's address, check here .					Latitude: .37,68,44 (in decimal degrees) Longitude: 97.28 7 (in decimal degrees)			
4724 E. Douglas Ave.; Wichita, KS					Elevation: 1350			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: ConnocoPhillips					Collection Method:			
RR#, Street Address, Box #: 1614-02 Phillips Building					GPS unit (Make/Model: etrek 10			
City, State, ZIP Code	: Bartles	ville, OK 74004	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL					ccuracy:	<3 m, ∠] 3-3 m, ∟] 3-15 m, [_] >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 20 ft.								
N W	N WELL'S STATIC WATER LEVEL							
Pump test data: Well water wasft. after hours pumping								
NW NE E	EST. YIELDgpm. Well water wasft. afterhours pumpinggpm Bore Hole Diameterft., andft.							
w E B								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
Water went disintected: 1 165 kg 140								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2								
Casing diameter 2								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) ft. to ft. ft.								
From ft to ff From ft to ft.								
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft. ft. ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank		nes Pit privy	Livestock		☐ Insecticid ☐ Abandone		her (specify below)	
Sewer linesWatertight sewer lines	Cesspool	Sewage lagoon	Fuel storag	e orage	☐ Abandone			
Direction from well						*	egye kirja kurik kirir kirir kirir kirir kirir kirir kirir.	
FROM TO	LITHOLOG		FROM	ТО			UGGING INTERVALS	
0 20 Cla								
					· · · · · · · · · · · · · · · · · · ·			
			<u> </u>					
			<u> </u>		[34	1 1 1		
7 CONTRACTOR'S OR I								
under my jurisdiction and was completed on (mo/day/year) .12/19/2014 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 710 This Water Well Record was completed on (pno/day/year) 01/14/2014								
INSTRUCTIONS: Use typewrit	er or hall point be	n PLEASE PRESS FIRMI	Yand PRINT of	early Ple	ase fill in blank	cs and check the correct	t answers. Send one conv to	
Kansas Department of F	Iealth and Enviror	ment, Bureau of Water, Geo	logy Section, 1	000 SW J	lackson St., Sui	te 420, Topeka, Kans	as 66612-1367.	
Telephone 785-296-5524. Send	one copy to WAT				Include fee of	\$5.00 for each constru	icted well. Visit us at	
		http://www.kdheks.go	v/waterwell/inde	x html				