WATER WELL RECORD	Form WWC-	. 5 Dis		MW-0 Resources App.		
1 LOCATION OF WATER WELL:	Fraction	Sectio	n Number	Township No		
County: Sedgewick	SW 1/4 SW 1/4 SW 1/4 N	JW 1/4	24	T 27 S		
Street/Rural Address of Well Location;	ction Global	Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here			Latitude: .37,68 (in decimal degrees) Longitude: .37,68 (in decimal degrees)			
4724 E. Douglas Ave., Wichita, No			Elevation: 1350			
2 WATER WELL OWNER: ConnocoPhillips			Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 1614-02 Phillips Building		<u>Conect</u> G	GPS unit (Make/Model: etrek 10)			
City, State, ZIP Code : Bartlesville, OK 74004		ΙDD	Digital Map/Photo. Topographic Map. Land Survey			
Baltiesville, OK 74004 Est. Accuracy:						
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL						
	[
WELL SOIAI	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr Pump test data: Well water wasft. afterhours pumpinggpm					
NW NE EST. YIELD	NIW NE EST. YIELDgpm. Well water wasft. afterhours pumpinggpm					
$ W _{\bullet}$ $ E _{\bullet}$ Bore Hole Diam	$V = \begin{bmatrix} & & & \\ & & & \end{bmatrix} $ E Bore Hole Diameter $D \in \mathbb{R}$ in. to					
WELL WATER TO BE OSED AS: I tunit water supply Geometrial injection with						
SWSE - Domestic Feediot Off field water supply Dewatering Other (specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No						
S If yes, mo/day/yr sample was submitted						
water will distintected? Tes Ly 100						
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other						
Casing diameter .2 in. to						
Casing height above land surface6 in., Weight						
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify) SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From 5 ft. to 20 ft., From ft. to ft. From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
Grout Intervals: From						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool	Sewage lagoon Z Fue	el storage [Abandoned	water well	outer (specify below)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Distance from well						
FROM TO LITHOLOG		OM TO			LUGGING INTERVALS	
0 5 Silty Clan				2 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3		
5 20 Sandy Clay						
				, · · · · · · · · · · · · · · · · · · ·		
		<u></u>	***************************************			
				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
			· · · · · · · · · · · · · · · · · · ·			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .12/19/2014 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 7.10 This Water Well Record was completed on (mo/day/year) 0.1/14/2014 by (signature)						
INSTRUCTIONS: Use typewriter or ball point pe	1. PLEASE PRESS FIRMLY and I	by (SI <u>PRINT</u> clearly. Plea	ase fill in blanks	and check the corr	rect answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
15(opinonio 100-220-224, genta one copy to WAT	http://www.kdheks.gov/waterwell/index.html					

KSA 82a-1212