May. 28. 2014 12:58 PM HARP WELL & PUMP SRVS 3167220024 No. 0584 WATER WELL RECORD Form WWC-5 1 LOCATION OF WATER WELL; FRACTION TOWNSHIP NUMBER SECTION NUMBER RANGE NUMBER \$WSedgwick NE sw1/4 1/4 1/4 8 Υ 27 R 1E EW Distance and direction from nearest town or city street address of well if located within city? 1548 N. Burns Ave. Wichita, Kansas WATER WELL OWNER: ROLAND, Donald Board of Apriculture, Division of Water Resource RR#.ST. ADDRESS.BOX #: 1548 N. Burns Ave. Wichita, Kansas CITY, STATE: ŽIP CODE: Application Number. 15 4 DEPTH OF COMPLETE WELL: LOCATE WELL'S LOCATION ELEVATION: Basement Floor WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. ft. ft. WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 4/11/14 Pump test data: Well water was NW-ŃEft. after hours of pumping @ gpm Est. Yield: Well water was ft. after aom hours of pumping @ gpm Ξ Bore Hole Diameter in and ft. WELL WATER **TORS** USED AS: 11. Injection well 9. Dewatering SE-7. Lawn and garden only 1. Domestic 3. Feedlot 5. Public water supply 12. Other (Specify below) 10. Monitoring well abandoned 2. Irrigation 4. Industrial 6, Oil field water supply 8. Air conditioning ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? NO Was Water Well Disinfected? (YES) NO 5 TYPE OF CASING USED: 9. Other (\$pecify below) CASING JOINTS: Glued Threaded Wrought Iron 7. Fiberglass 1. Steel 3. RPM (SR) Welded Clamped Asbestos-Çement 8. Concrete tile 2. PVC 4. ABS Blank casing diameter 1 1/4 in. Dia. to ft... ft.. Dia. in. ft. Casing height love 1500 to Casing height love 15 Weight: lbs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 11. Other (specify) N/A 7. PVC 1. Steel 3. Stainless Steel 5. Fibergiass 9. ARS 2. Brass 4. Galvanized 6. Concréte Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A SCREEN - PERFORATION INTERVAL ft. From to ft., From ft. ft. From to ft., From ft. to ft. GRAVEL PACK INTERVALS: ft From to ft.. From ſŧ. to ft. From to ft... From ft. **GROUT MATERIALS:** 6 1. Neat cement 2. Cement Grout 3 Bentonite bentonite hole plug Grout Intervals: to 15 ft. From 1 fţ. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oll well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 5. Cess Pool 2. Sewer lines 9. Feed yard 12. Fertilizer storage 6. Seepage pit 3. Watertight sewer line Direction from well? How many feet? LITHOLOGIC LOG From From LITHOLOGIC LOG Τo Τo 0. 1 cement 15 <u>bentonite hole plug</u> Contractor's or Landowner's Certification: This water well was 1. constructed reconstructed or 3. plugged under my jurisdiction and 4/11/2014 was completed on (mo/day/year) and this record is true to the best of my knowledge and bellef. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/14/2014 under the business name of Harp Well and Pump Service Todd S. Harb by (signature)