WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. N	o	
1 LOCATION OF WATER WELL		Section Number		Range Number	
County: Sedgwick	1/4 NW 1/4 SW 1/4 NW 1/4			R 1 ☑E □W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:					
from nearest town or intersection: I	Latitude: .37.67386 (in decimal degrees)				
Automax		Longitude: 97.33561 (in decimal degrees) Elevation: 1295.49			
940 South Broadway St., Wichita, KS 67211		Datum: WGS 8	Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: KDHE-BER			Collection Method:		
RR#, Street Address, Box #: 1000 SW Jackson Street Suite 410		GPS unit (Make/Model:)			
City, State, ZIP Code : Topeka, KS 66612-1367		Digital Map/Photo, Topographic Map, Land Survey			
Est. Accuracy:					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL, 22 ft.					
SECTION BOX: Depth(s) Gr	Depth(s) Groundwater Encountered (1).17				
N WELL'S ST	Depth(s) Groundwater Encountered (1).17				
P	Pump test data: Well water was NAft. after NA hours pumping. NA gpm				
EST. YIELD. N/Agpm. Well water was. N/A					
$ W \not\vdash L L E Bore Hole Diameter 0.42$					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
SWSE Domestic					
Was a chemical/bacteriological sample submitted to Department? Yes No					
s If yes, mo/day/yr sample was submitted.N/A					
mile Water well disinfected?					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .2 in. to .12 ft., Diameter .N/A in. to .N/A ft., Diameter .N/A ft.					
Casing height above land surface. 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From N/A ft. to N/A ft., From N/A ft. to N/A ft.					
GRAVEL PACK INTERVALS: From 10 ft. to .22 ft., From .N/A ft. to .N/A ft.					
From N/A ft. to N/A ft., From N/A ft. to N/A ft.					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2 feet Grout Intervals: From .2					
What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well					
			OC (somt) on DLI	ICCINIC INTERMALS	
	LOGIC LOG FROM	TO LITHO. L	od (cont.) or PLC	JGGING INTERVALS	
0.5 Crass			_,		
	1				
	to med				
	no32				
20 22 11 wet	NO-FA				
				,	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .5/6/2014 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 5/26/2014 under the business name of RAZEK Environmental LLC by (signature)					
under the business name of RAZEK Environmental, LLC by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html					