


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Sedgwick	Fraction 1/4 NW 1/4 SW 1/4	Section number 29	Township number T 27 S	Range number R 1E E/W
2. Distance and direction from nearest town or city: Street address of well location if in city: 901 Stillwell Wichita, Kansas			3. Owner of well: Gold Dust R.R. or street: 1916 North Broadway City, state, zip code: Wichita, Kansas			
4. Locate with "X" in section below: N 1 Mile W E S 1 Mile			Sketch map: 		6. Bore hole dia. <u>14</u> in. Completion date <u>6-1-78</u> Well depth <u>32</u> ft.	
5. Type and color of material			From	To	7. <u> </u> Cable tool <u>X</u> Rotary <u> </u> Driven <u> </u> Dug <u> </u> Hollow rod <u> </u> Jetted <u> </u> Bored <u> </u> Reverse rotary	
Topsoil			0	2	8. Use: <u> </u> Domestic <u> </u> Public supply <u> </u> Industry <u> </u> Irrigation <u>X</u> Air conditioning <u> </u> Stock <u> </u> Lawn <u> </u> Oil field water <u> </u> Other	
Sandy Soil			2	12	9. Casing: Material <u>PVC</u> Height: Above or <u>below</u> Threaded <u> </u> Welded <u> </u> Surface <u>12</u> in. RMP <u>8</u> PVC <u>X</u> Weight <u>5.47</u> lbs./ft. Dia. <u>8</u> in. to <u>32</u> ft. depth Wall Thickness: inches or Dia. <u> </u> in. to <u> </u> ft. depth gage No. <u>332</u>	
Medium Sand			12	14	10. Screen: Manufacturer's name <u>PVC NSF approved 160PSI</u> Type <u>PVC 160PSI</u> Dia. <u>8"</u> Slot/gauge <u>.06</u> Length <u>10'</u> Set between <u>22</u> ft. and <u>32</u> ft. <u> </u> ft. and <u> </u> ft. Gravel pack? <u>yes</u> Size range of material <u>1/4-1/8"</u>	
Coarse Sand			14	22	11. Static water level: <u>14</u> ft. below land surface Date <u>6-1-78</u> mo./day/yr.	
Coarse Sand and Fine Gravel			22	32	12. Pumping level below land surfaces: <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u> </u> g.p.m.	
					13. Water sample submitted: <u> </u> mo./day/yr. <u> </u> Yes <u> </u> No Date <u> </u>	
					14. Well head completion: <u>X</u> Pitless adapter <u>12</u> inches above grade	
					15. Well grouted? <u>yes 1-2 fine sand mix</u> With: <u> </u> Neat cement <u> </u> Bentonite <u>X</u> Concrete Depth: From <u>40</u> ft. to <u>14</u> ft.	
					16. Nearest source of possible contamination: <u>City</u> ft. <u>60</u> Direction <u>West</u> <u>Sewer Line</u> Well disinfected upon completion? <u>X</u> Yes <u> </u> No	
					17. Pump: <u>Not installed</u> Manufacturer's name <u>Hydraulic Products</u> Model number <u>6HH0-02</u> HP <u>5</u> Volts <u>208</u> Length of drop pipe <u>30</u> ft. capacity <u>300</u> g.p.m. Type: <u>X</u> Submersible <u> </u> Turbine <u> </u> Jet <u> </u> Reciprocating <u> </u> Centrifugal <u> </u> Other	
(Use a second sheet if needed)						
18. Elevation: Topography: <u> </u> Hill <u> </u> Slope <u> </u> Upland <u> </u> Valley		19. Remarks: Flat Ground		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Harp Well & Pump 236 Business name Wichita, Kansas License No. <u> </u> Address <u> </u> Signed <u>My Arnold</u> Date <u>12-4-78</u> Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5