				Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCA		ATER WELL:	FRACTION			Section Number	Township Number	Range Number
Sedgwick N			NW 1/4	SE 1/4 SV	1/4	29	_T 27 _s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?								
521 W. Walker Wichita, Kansas								
WATER WELL OWNER: ARAMARK UNIFORM SERVICE								
RR#, ST. ADRESS, BOX #: 521 West Walker Board of Agriculture, Divivsion of Water Resource								
CITY	Y, STATE, ZI	PCODE: Wich	ita, Kansas				Application Numb	er:
	TE WELL'S	LOCATION WITH		MACHE DE WELL	25	ft. E	LEVATION:	
7.	IN SECTION	N BOX.		water Encountered	1	ft.	2 ft.	3 ft.
		1	l .	WATER LEVEL 18		BELOW LAND	SURFACE MEASURED ON mo/day/yr	06/18/1998
	- NW-	NE -	· ·		ater was	ft.	after hours pun	nping gpm
<u> </u>	1 :		Est. Yield	.	ater was	ft.	after hours pun	nping gpm
M Mile	/	E	Bore Hole Diameter WELL WATER		to	ft.	and in.	to ft.
					Public water		9	Injection well
1 1	- sw		1 Domestic		Oil field was Lawn and ga			Other (Specify below)
	1		2 Irrigation	_		•	10 Monitoring well	
*		S	l .	cteriological sample su	bmitted to D	-		no/day/yr sample was
Submitted water well Disinfected? Yes No								
I Stee		3 RMP (SR)		5 Wrought iron 6 Asbestos-Cement		Concrete tile		Glued Clamped
2 PV		4 ABS		7 Fiberglass	, 91	Other (Specify	•	Velded Fhreaded
	asing Diap		in. to					
Casing	hoight 02	ow land surface 1		ft., Dia	in.	to lbs. / ft.	ft., Dia in.	to ft.
Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Carel 2 Carriet Carel 5 Fiherglass 8 PMP (SD)								y) N/A
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapper							8 Saw cut	11 None (open hole)
I .	nous slot	3 Mill s		6 Wire v			9 Drilled holes	. (1 =)
2 Louve	ered shutte	er 4 Key p	unched	7 Torch	eut		10 Other (specify) N	/A
SCREEN BEDEOD ATION INTERVALS.								
			from	ft. 1	-	•		
GRAVEL PACK INTERVALS: from ft.						ft., From ft., From		ft.
			from	ft.		ft., Fr		ft. ft.
6 GRC	OUT MAT	ERIAL: 1 Neat	cement 2	Cement grout	3 Ben		4 Other	
Grout Intervals: From 0 ft. to 18 ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination: 10 Livestock pens 14 Abando								Abandon water well
1 Septic tank 4 Lateral lines 7 Pit 1						11 Fuel	storage 15 0	Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage					•		ilizer storage 16 (Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent								Apparent
Direction from well? How many feet?								
FROM	то		LITHOLOGIC LOC	j	FROM	ТО	PLUGGING INTE	RVALS
					0	18	cement grout	
					18	25	bentonite hole plu	g

					<u> </u>			
	-				<u> </u>			

				· · · · · · · · · · · · · · · · · · ·				
<u> </u>						1		
			·					
7 000	NUTE A COMM	DDIC 0=		This water of	1\			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
(mo/day/yr)								
Under the business name of								