WATER WELL RECORD		Form WWC-	-5	Division of Water Resources App. No.				
	1 LOCATION OF WATER WELL: County: Sedgwick		Fraction NW 1/4 NW 1/4 NW 1/4 1	1	Section Number To		Range Number R 1 ☑E □W	
					Global Positioning Sys			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Latitude: .37.707.70 (in decimal degrees)			
527 W. 13th Street N					Longitude: 97.34403 (in decimal degrees)			
Wichita, KS 67203					Elevation: 1307.63			
					<u>Datum</u> : ☑ WGS 84, □ NAD 83, □ NAD 27			
2 WATER WELL OWNER: Coastal Mart					Collection Method:			
RR#, Street Address, Box #: 2 N. Nevada					GPS unit (Make/Model:)			
City, State, ZIP Code : Colorado Springs, CO 80803					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .20								
	SECTION BOX: Depth(s) Groundwater Encountered (1).14.00 ft. (2)							
	N WELL'S STATIC WATER LEVEL. 14.00ft. below land surface measured on mo/day/yr. 8/26/14							
	Pump test data: Well water wasft. after hours pumping							
- NW	NW NE EST. YIELDgpm. Well water wasft. after hours pumpinggpm							
w i ni	E Bore Hole Diameter 8.5in. to .20ft., andin. toft.							
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well								
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation								
Was a chemical/bacteriological sample submitted to Department? Yes M No								
S If yes, mo/day/yr sample was submitted								
	-I mile	Water well disin	fected? Yes No					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 2								
Casing height above land surface -0.35 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
From								
From A to A From A to A								
From								
Grout Intervals: From .1								
What is the nearest source of possible contamination:								
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Ahandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ LUST Site								
		n well			om well			
FROM	TO	LITHOLOG	IC LOG FR	ROM /	TO LITHO. LOG	(cont.) or PLU	IGGING INTERVALS	
	0.5	concrete						
	6	fill sand, brown						
	19	clay, brown/CL						
19	20	sand, tan/SP						
					MW9			
					KDHE Tag # (0050633		
							Alleger, the same of	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year). 8/26/14 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year 1/10/14 under the business name of Coranco Great Plains Inc								
under the	busines	ss name of Coranco Gr	eat Plains Inc.		by (signature)	KINGO	······································	
INSTRUC	TIONS:	Use typewriter or ball point per	PLEASE PRESS FIRMLY and	PRINT clear	ly. Please fill in blanks and	check the correct	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html