		RECORD		W W C-5	Divisi			T. I. N.			ımıb ac
		WATER WELL:   dgwick		SW ¼ I	OTTE	20	l.	Township Nu	9	lr 1	E
County: Sedgwick SE ½ SW ½ NE ½  Distance and direction from nearest town or city street address of well if located within city? 1st St. N. & Waco St., Wichita KS  Taction  SE ½ SW ½ NE ½  Global Positioning System (decimal degrees, min. of 4 digits)  Latitude: N 37.68741°  W07.24175°											
					L	ongitude:	W 97	.34175°	3, 1202	2.02	
2 WATE	R WELL	OWNER: Union	Pacific Rail	road Co.		evation:	WGS	1304.27; TO	J: 1303	0.92	
RR#, S	t. Address,	Box # : 1400 D	ouglas-Stop	1030	מ	atum. ata Colle	ction M	ethod: legal s	survey		
City, St	tate, ZIP Co	de : Omaha	COMPLET	TED WELL							
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 26.84 https://doi.org/10.1000/phi/97899999999999999999999999999999999999											
	AN "X" I	Depth(s) Groun	dwater Enco	ountered 1	_		ft. 2		ft. 3		ft.
1	ON BOX:	WELL'S STAT	IC WATER	LEVEL 2	22.17 ft. l	oelow lar	d surfac	ce measured o	n mo/c	lay/yr 11/	11/14
SECTI	N	Dumr	test data:	Well water v	vas	π. :	aπer	nours	։ թաւութ	шg	gpin
l —	<del></del>	Est Vield	gnm: `	Well water v	vas	ft. a	after	hours	pump	ıng	gpm
L	- NE	TANDET TANATE	$\mathbf{r} = \mathbf{r} = \mathbf{r}$	ED AS: 5 I	ublic wate	r supply	8 Air	conditioning	11 11	njection we	11
1   ;	x\	1 Domestic 3	Feed lot 6	6 Oil field w	ater supply	,	9 Dewa	itering	12 Oth	er (Specify	below)
w <del>     </del>	+×+-	E 2 Irrigation 4	1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
-sw											
		Was a chemica	l/bacteriolog	ical sample:	submitted t	o Depart	ment?	Yes No	X;	If yes, mo/	nay/yrs
<u> </u>	S	Sample was su	omitted			W	ater W	ell Disinfected	1? Yes	·	NO X
TOWNER OF CASING USER. 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
					Other (sp	ecify bel	low)		Welde	ed	
(2) PV	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X										X
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  2 PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 16.84 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.35 ft., Weight lbs./ft. Wall thickness or gauge No.  TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)											
Casing height below land surface 0.35 ft., Weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
1 Co	ntinuous slo	of 3 Mill slot	5 Gauz	e wrapped	7 Torch	cut	9 Drille	ed holes 11	None	e (open hole	e)
SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot											
SCREEN-	PERFORA	TED INTERVALS	From	16.84	. ft. to	26.84	tt. Fro	om	ft.	to 	π.
1			From		ft. to		n. Fro	om 	n.	10 	IL.
GR	AVEL PAC	K INTERVALS:	From	15	. ft. to	27	π. Fr	om 	ft.	to	11.
			From		π. ιο		. н. ги	om om	11.		
6 GROU	T MATEI	IAL: 1 Neat cen	nent 2 Cer	nent grout	(3) Benton	ite (4	Other	Concrete: 0-	1'		
Grout Inte	rvals Fi	om 1 ft. to	15 ft.	From	ft. t	0	ft.	From		It. to	π.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1' Grout Intervals From 1 ft. to 15 ft. From ft. to ft. From ft. The ft. From ft. to ft. From ft. The ft. From ft. From ft. The ft. From ft. Fro											
	tic tank		nes 7 Pit pri	ge lagoon (1	1) Enel stor	к репя		indoned water		below	(specify
2 Sew	er lines	5 Cess poo er lines 6 Seepage			9 Fertilize	r storage		well/ gas well			,
	erngm sew from well?	NIT?			low many	_		<b>g</b>			
					FROM	TO		PLUGGIN	G INT	ERVALS	
FROM	TO	LITHO Fill material	LOGIC LOC	J	TAOM	10		Though	- 4411		
5		Dark to light brov	n clav w/ tr	ace pebbles							
3		& Fe staining									
10	15	Light brown w/ sil	ty sand & p	ebbles,							
		Some Fe staining		0 E-							
15		Light brown sand	w/ pebbles	& some re							
20		Staining Light brown coars	e sand w/ n	ebbles	-						
<u> </u>	<u> </u>	Light Divini Coal:	- Juliu 11/ P								
							6			. 1 (2)	1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged and this record is true to the best of my knowledge and belief.											
under my jurisdiction and was completed on (mo/day/year)  Kansas Water Well Contractor's License No. 757  This Water Well Record was completed on (mo/day/year) 12/4/14											
under the h	uginece name	of Larsen & Ass	nciates. Inc.		by (signatu	re)	/'	<b>\ \</b>			
under the b	usmess name	fill in blanks on similar	e correct answ	ers. Send top th	ree copies to	Kansas De	partment	of Health and En	vironme	nt, Bureau of	Water,
Geology Sec	tion, 1000 SW	Jackson St., Suite 420,	Topeka, Kansas	s 66612-1367.	Telephone 78	5-296-5522	2. Send o	ne to WATER W	ELL OV	VNER and reta	in one for
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											

## TRITERRA LAND SERVICES



P.O. Box 546 Clearwater, Kansas 67026 Cell (316) 648-3617 Fax (620) 584-4371 E-mail: triterrals@yahoo.com

SURVEYING OF MONITORING WELLS BUILDER'S INC. WICHITA, KANSAS

The above site is located in Section 20, Township 27 South, Range 1 East of the Sixth Principal Meridian, Sedgwick County, Kansas. The Southeast corner of Section 20 was assigned coordinates of 00.00 North and 00.00 West.

The vertical control was a USGS benchmark located northeast of the intersection of McClean Blvd and Douglas Ave, about 170 feet southeast of the east corner of the Ben McClean Memorial, about 125 feet northeast of the Chisholm Trail Memorial, and about 90 feet east of the Ackerman Island Memorial, a brass disk set in the top of a concrete monument projecting 1 foot above the ground. Elevation 1304.12' MSL. The control point is a chiseled 'X' on the back of curb in the alley, adjacent to fire hydrant at the northeast corner of the property.

The Latitude and Longitude were recorded from a GPS unit. The site is located on the 7.5' quad map titled "Wichita East".

ID	NORTH	WEST	LATITUDE	LONGITUDE	ELEVATION
SE CORNER 20-27S-1E	00.00	00.00			
CP	3255.54	1649.73	37.68770	97.34132	1303.35
BMW-1 NW SE SW NE	3204.44	1655.70	37.68758	97.34135	RIM 1303.33 TOC 1302.88
BMW-2 NW SE SW NE	3135.27	1776.33	37.68741	97.34175	RIM 1304.27 TOC 1303.92
BMW-3 NE SE SW NE	3149.11	1610.36	37.68741	97.34122	RIM 1303.63 TOC 1303.31
BMW-4 NE SE SW NE	3267.08	1608.09	37.68775	97.34113	RIM 1303.45 TOC 1303.10

