	WATER WE	LL RECORD	Form WV	VC-5 K	SA 82a-12	12		
1 LOCATION OF WATER WELL:	1	SE SW NW		TION NUMBE		IP NUMBER	RANGE N	
Sedgwick	PAN 1/4	84 2 1/4 34 4	1/4 17	148	T 2	27 s	R 1E	E/W
Distance and direction from nearest to 1000 W. Riverside	•	•						
	RITCHIE, John	ta, Kansas						
2 WATER WELL OWNER: RR#,ST. ADDRESS,BOX #:	1133 W. 13th N.					Board of Agric	culture, Division of V	Vater Resource
CITY, STATE:	Wichita, Kansas		7	IP CODE: 6	7203	Application Num	ber:	
3 LOCATE WELL'S LOCATION	4 DEPTH OF CLUPPE	WELL:	18 ft.	ii CODL.		basement floor		
WITH AN "X" IN SECTION BOX:)-9	. ft			ft.		ft.
N N	Depth of groundwater E WELL'S STATIC WAT				IDEACE MEAC		av/vr: 3/17	
			ater was	DW LAND SU	ft. after	URED ON mo/d	of pumping @	gpn
n NW NE	Est. Yield:		vater was		ft. after		of pumping @	gpm
w Wille	E Bore Hole Diameter	in.	to	ft		in.	to	ft.
-	WELL WATER	USED AS:				9. Dewaterir	na 11. Injed	ction well
SW - SE	1. Domestic 3. F				and garden on		12. Other (S	ecify below
	_		water supply			10. Monitorin	g well /hat mo/day/yr v	vas samnle
S	submitted	logical sample submitted t	o Department?	YES Was \	NO Vater Well Disi			NO
5 TYPE OF CASING USED	D: 5 M	7 Fiberele	9.0	ther (Specify	(helow) CA	SING JOINTS:	Glued	Threaded
	RPM (SR) 5. Wrought In	_	SS 3. O	aner (Opeca)	, below)	0.1000.110.	Welded	Clamped
2. PVC 4.	ABS 6. Asbestos-0	Cement 8. Concrete	e tile					
Blank casing diameter	6 in. to	ft., Dia.	in.	to	ft.,	Dia.	n. to	ft.
Casing height be care stated	teffeor 12 in.,	Weight:	1	bs. / ft.	Wall t	hickness or gaug	e No.	
TYPE OF SCREEN OR PERFO							T / A	
Steel 3. Stainless	ū	7. PVC	9. A	AB\$		ther (specify) $^{ m N}$		
2. Brass 4. Galvaniz	ed 6. Concrete Tile	8. RMP (SR) 10. A	Asbestos-Cer	ment 12. N	one used (open l	nole)	
SCREEN OR PERFORATION (OPENINGS ARE:							
1. Continuous slot	3. Mill slot 5. Ga	uzed wrapped	7. To	rch cut	9. Dri	lled holes	11. None (o	pen hole)
2. Louvered shutter	4. Key punched 6. Wi	re wrapped	8. Sa	w cut	10. Oti	ner (specify) $\mathrm{N}/$	A	
SCREEN - PERFORATION INT	ERVAL From	ft.	to	ft.,	From	ft.	to	ft.
	From	ft,	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INTER		ft.	to	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	
6 GROUT MATERIALS:								ft.
GROUT MATERIALS: Grout Intervals: From	1. Neat cement C	2. Cement Grout 3 ft., From		3. Bentonite		•	onite hole plu	18 ft.
What is the nearest source of po		J II., FIOIII		to	ft.,	From 3	π. το	10 π.
1 Septic tank 4	l. Lateral lines 7. F	Pit privy	10. Livestoc	k pens	13. Insec	ticide storage	15. Oil well/G	
2. Sewer lines 5	5. Cess Pool 8. S	Sewage lagoon	11. Fuel sto	rage	14. Aban	don water well	16. Other (sp	ecify below)
		eed yard	12. Fertilize	r storage				
Direction from well? Nort					How m	any feet? 20 f		
From To	LITHOLOGIC	LOG	From	То		LITHOLO	GIC LOG	
			0		cement gro			
			3_	18	bentonite b	ole plug		
							 	E-V.
			-					
			 					
Contractor's or Landowner	's Certification: This water we			constructed			ınder my jurisdicti	on and
was completed on (mo/day/ye	ear) 3/17/2015	and this recor	d is true to the	e best of my	knowledge and	belief.		
Kansas Water Well Contracto	r's License No. 236	This water	well record wa	s completed	on (mo/day/ye	ar) 3/18	8/15	
under the business name of	Harn Well and Pumi	Service	bv (si	gnature)	T	odd S	Hain	
and and additional fidelic of	Tar b wen and I mill	J SCI VICE	27 (01			ouns.	. тимр	