WAIER WELL R		WWC-5		Division of Water		Wall ID	981BR		
Original Record 1 LOCATION OF WA		ge in Well Use		sources App. N		Well ID	ge Number		
County: Sedgwick	AIEK WELL:	Fraction 1/4 SE 1/4 SE 1/4		ection Number	r Township Number T 27 S		ge Number ■ E □ W		
2 WELL OWNER: La	at Manual	First:	Street or Rural Address where well is located (if unknown, distance and						
Business: City of Wichita direction from nearest town or intersection): If at owner's address, check here:									
Address: 1900 E. 9t			oprox. 991' S, 423' W of intersection of Washington Ave. &						
Address:		of intersection of W	asningtor	ı Ave. &					
City: Wichita	State: KS	ZIP: 67214	watermar	St., Wichita					
3 LOCATE WELL	A NEDILIAN AND LITTINAL				23.20 ft. 5 Latitude: N 37.679794(decimal degrees)				
WITH "X" IN SECTION BOX:		Encountered: 1)			Longitude: W. 97.328055 (decimal degrees)				
N N	Dry Well	777777777777777777777777777777777777777							
	WELL'S STATIC WATER LEVEL:17.				Bource for Buttade Bongitude.				
	below land surface, measured on (mo-day-				_ G. 5 (u)				
NW NE	Pump test data: Well v			(
w	after hour			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:					
' ' -	Well v								
SW SE		s pumping	gpm	(Pl4	. 1297 75		I 1 - TOC		
	Estimated Yield:gpm			o Elevat	6 Elevation:1297.75ft. ☐ Ground Level ■ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
S I mile				Source	Other				
7 WELL WATER TO BE USED AS:									
1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease									
☐ Household		ig: how many wells?			lole: well ID				
☐ Lawn & Garden					☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock					12. Geothermal: how many bores?				
2. Irrigation					a) Closed Loop Horizontal Vertical				
3. Feedlot Air Sparge Soil Vapor I					b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):				
4. Industrial	Recovery								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ■ No									
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other									
Casing diameter									
Casing height above land surface									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Nearest source of possible contamination:									
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage									
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well									
☐ Other (Specify) Direction from well?									
Direction from well?							n venne a company		
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO I	LITHO. LOG (cont.) or l	PLUGGING	INTERVALS		
0 23.2 Li	thology not logged			+					
				 			-		
				+					
	· · ·	14	1	+					
				 					
			Notes:	Annular space b	etween 1" and 2" casing	(from 0'-3' h	g) sealed with		
			7	Armaiai space b	etween i and z casing	(11011)	g) octaics man		
concrete.									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) .03/29/20.16 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 531 This Water Well Record was completed on (mo-day-year) 06/02/2016									
under the business name of GSI Engineering, LLC Signature									
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdheks.g			Vater Well Ov KSA 82a-1		e for your records. Telepho		7/10/2015		
TISIL US OLIHUD. // WWW.KUHCKS. 2	or, water well/illuex.illill		<u>0</u> 40-1						



Google earth

feet 1000 meters 500

A

981 A, B replacements

GILMO REPLACEMENT WELLS





Legend

- **Parcels**
- Sewer Manholes Airport Runway
- Storm Structures Sewer Mains
 - Manhole

- BMP
- Storm Headwalls
- Abandoned Storm Conduit Storm Conduit
- - Open Channel



This information is not an official record, and cannot be used as such. The user should rely only upon official records available from the custodian of records in the appropriate City and/or County department. Some data provided here and used for the preparation of these maps has been obtained from public records not created or maintained by the City of Wichita.

26.586720 Z32Feel

53.2

777 E. Waterman

1:319

Map Creeted On: 10/29