				ER WELL RECORD	Form WWC		32a-1212		
1 1		ATERWELL:		/ CNU 1/ **		ction Numb			Range Number
County: Sedgwick S Distance and direction from nearest town or city			SW 7		E 1/4	4	T 27	S	R 1 EW
1021 E	. 26th St	reet, Wichita, I	Kansas		ec winin city	17			
2 WATE	R WELL C	WNER: Wester	n Resources,	Inc.					
RR#, St.	Address, B	ox# : P.O. B	ox 1717				Board of Agricu	lture, Divis	sion of Water Resources
	e, ZIP Code		, Kansas 666	01			Application Num	ber:	
3 LOCAT WITH	E WELL'S AN "X" IN S	LOCATION SECTION BOX: N	Depth(s) Groun	dwater Encountered 1	l <i>.</i>		ft. 2	ft. :	3ft.
<u> </u>	WELL'S STATIC WATER LEVEL 1.1.2 ft. below land surface measured on mo/day/yr 3/5/98 Pump test data: Well water was NA ft. after hours pumping Est. Yield NA gpm: Well water was ft. after hours pumping								
T Wile	!	X ! E	WELL WATER	TO BE USED AS: 5	Public water	supply	8 Air conditioning	11 I	to ft. njection well
	- SW	SE	1 Domestic						Other (Specify below)
	1	1	2 Irrigation Was a chemica				10 Monitoring well ont? YesNo.		mo/day/yr sample was
<u> </u>		5	submitted			٧	Vater Well Disinfected	? Yes	No 🗸
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Conc	ete tile	CASING JOIN	ITS: Glued	Clamped
1 S	teei	3 RMP (SI	R)	6 Asbestos-Cement	9 Other	(specify be	elow)	Welde	ed
(2)°		4 ABS		7 Fiberglass				Threa	ded. 🏑
2 PVC 4 ABS 7 Fiberglass Threaded. √									
Casing height above land surface2.76 in., weight									
TYPE OF	SCREEN (OR PERFORATION	N MATERIAL		7 PV	С	10 Asbe	stos-ceme	ent
1 S	teel	3 Stainless	s steel	5 Fiberglass	8 RM	IP (SR)	11 Other	(specify)	
2 B	rass	4 Galvaniz	ed steel	6 Concrete tile		9 ABS 12 None used (open hole)			
SCREEN	OR PERFO	RATION OPENIN	GS ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hole)
1 Continuous slot (3)Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 10									
From ft. to ft., From ft. to ft GRAVEL PACK INTERVALS: From ft. to ft									
	AVANEL PA	ACK INTERVALS.							toft
	MATERIA		cement	2 Cement grout	(3)Bento		4 Other		
Grout Intervals: From 0 ft. to 2 ft., From 2 ft. to 9 ft., From ft. to ft.									
What is th	e nearest s	source of possible	contamination:			10 Liv	estock pens	14 Ab	andoned water well
1 Septic tank 4 Lateral lines 7 Pit privy						11 Fu	el storage	15 Oi	l well/Gas well
2 Sewer lines 5 Cess p			s pool	on	12 Fertilizer storage			her (specify below)	
3 Wat	ertight sew	erlines 6 Seep	page pit 9 Feedyard				ecticide storage		nk Basin
Direction 1	rom well?	North				How m	any feet? 150		
FROM	10		LITHOLOGIC	LOG	FROM	70	PLU	GGING IN	TERVALS
0	5	Clay, Dark B	rown-Brown						
5	9	Silt, Brown							
9	14	Clay, Brown							
14	16	Sand, Brown							
16	20	Sand, Brown							
		,							
									
							MW8, Tag # 002652		
							Project Name: Wichi	ta Gas Ser	vice Center
							GeoCore # 574, KDI	IE # U2 08	7 1244
7 CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATI	ON: This water well wa	s (1) constru	icted. (2) re	econstructed, or (3) n	ugged und	der my jurisdiction
				2/26/9.8					knowledge and belief.
Kanese M	ater Well C	Contractorie Licen	se No	527 This	: Water Mall	Record un	s competed on /mo/	av/vr)	3/11/98
	business n				, , , , a.c. , , v ell	by (sigr	nature)	Ce K	
	しゅうけいこうち 日	an IC VI	Creotio	re Services, Inc.		Dy (Sigi	iawi <i>e)</i>	CH KA	V 1