1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	T	Dames Namelan
Sedgwick		SE 1/4 SI		6	Township Number	Range Number
	27	27	W 1/4		T 27 s	R IE E/W
Distance and direction from nearest town or city street address of well if located within city?						
2308 Marigold Wichita, Kansas						
WATER WELL OWNER: SHERFY, Lelani  RR#, ST. ADRESS, BOX #: 2308 Marigold  Board of Agriculture, Divivsion of Water Resource						
		Application Number:			r:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	-	ARGALEED WELL	29		LEVATION:	
NN	Depth(s) groundw		1	ft.	2 ft.	3 ft.
	WELL'S STATIC W	ATER LEVEL 17	FT.	BELOW LAND S	SURFACE MEASURED ON mo/day/yr	04/23/1998
NW NE	Pump test	t data: Well w	ater was	ft.	after hours pum	<b>ping</b> gpm
	Est. Yield	gpm: Well w	vater was	ft.	after hours pum	ping gpm
W E	Bore Hole Diameter	in incompany	to	ft.	and in.	to ft.
1Mile	WELL WATER	BE USED AS: 5	Public water	r supply	8 Air conditioning 11 Is	njection well
	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12 C	Other (Specify below)
	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well	
]	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was					
S submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped						
1 Steel 3 RMP (SR)	6 Asbestos-Cemen				Velded	
2 PVC 4 ABS 7 Fiberglass Threaded						
	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height asove land surface 60	in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:				PVC 10 Asbestos-cen		ent
1 Steel 3 Stainless Steel	5 Fiberglass 8 RM		RMP (SR)	11 other (specify) N/A		
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	•
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped			8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes	
2 Louvered shutter 4 Key punched		7 Torch cut			10 Other (specify) N/	'A
CONTINUE DE LA CONTIN					•	
SCREEN-IERI ORATION INTERVA		ft. 1		ft., Fro		ft.
from		ft. to		ft., Fro		ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., Fro		ft.
6 GROUT MATERIAL: 1 Neat cement 2 Ce		ft. to ement grout 3 Bentonite		ft., Fro	From ft. to ft. 4 Other bentonite hole plug	
		ement grout	3 Ben	tonite		
Grout Intervals: From 0 ft. to 6 What is the nearest source of possible contamination:		ft. From ft. to			ft. From 6 ft. to 20 ft.	
40					vestock pens 14 Abandon water well	
		8 Sewage lagoon			rel storage 15 Oil well/Gas well Fertilizer storage 16 Other (specify below)	
13 Insecticide storage						ther (specify below)
waterught sewer mies o seepage pit 7 recuyaru						
Direction from well? North FROM TO L	THOLOGIC LOC		EDOM	1 TO T	How many feet? 10	N
FROM TO LITHOLOGIC LOG			FROM 0	6 TO	PLUGGING INTER	VALS
			6	20	bentonite hole plus	σ
			20	29	chlorinated sand a	
			120		Bank a	3-4-6-
				<del> </del>		
					The second secon	
	No. of the second secon					
		All-roots			7	
		71-2	1			
			<del> </del>			
				+	FRANCE CONTRACTOR OF THE PROPERTY OF THE PROPE	· · · · · · · · · · · · · · · · · · ·
					100 m	
					THE STATE OF THE S	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)						
Well Contractor's License No						
Under the business name of Marp well & rump Service, Inc						
Todd D. Harp						
						, 1