	R WELL RECOI 82a-1201-121			T R EW sec 1/4 1/4 1/4 No. Kansas State Dept. Of Health (Water Well Contractors)
	NE NE	SE		Forbes-Bldg. 740 Topeka, Kansas 66620
1 Location of well: Sedgwick Wichita	SE SE	Section	on number	Town number 7 T 2.7.5 R I E
Distance and direction from nearest town or city:		er of wel	: Fr1	anklin Peterson
Street address of well location if in city: 1701 Starland	Add	ress:	101 0	SARIAND WICHITAKS
Locate with "X" in section below: Sketch map: N				4 Well depth: <u>37</u> ft. Date of completion/ <u>6-24-</u> 75 Well diameter <u>8</u> in. Bore
$w = \frac{5E}{44}$ $w = \frac{5E}{44}$ $E = \frac{5E}{44}$				5 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary 6 Use: Domestic Public supply Industry Irrigation Air conditioning Commercial Test well
		ал -		7 Casing: Material <u>PVC</u> Height: above/below Threaded Welded Surface <u>Z3</u> in. Digm. Weight <u>Ibs./ft.</u>
2 Type and calor of material		From	То	
DArk Brown CLAY & Top soil		0	10	8 Screen: Manufacturer Sura flower
med '' Sand '' ''		4	4	Type \underline{PVC} Dia. $\underline{4/77}$ Slot/gauze $\underline{3/12}$ Length $\underline{5}$ $\underline{77}$ Set between $\underline{32}$ ft. and $\underline{37}$ ft. $$
Light 11 11		9	13	Ser berween 222 fr. and 222 fr Fittings: Gravel pack [] Yes [2] No Size range of material
Tim " gravel		13	17	9 Static water level: $17\frac{-8'}{15}$ ft. below land surface Date $(e-24)-75$
Fine SANG (Sugar)		17	18	10 Pumping level belaw land surfaces:
med gravelswater same	1	18	37	<pre> ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m.</pre>
				Estimated maximum yield g.p.m. 11 Water sample submitted: Yes No Date
				12 Well head completion: Well Seal
	· · · · · · · · · · · · · · · · · · ·			□ Pitless adapter /3 ☑ Inches above grade 13 Well grouted? ☑ Yes □ No ☑ Neat cement □ Bentonite □ □ Depth: From ft.
				14 Nearest source of possible contamination: C.T. ft. <u>12</u> Direction <u>Jourth</u> Type <u>Selver</u> Well disinfected upon completion? Yes XNo
				15 Pump: Manufacturer's name Dem.s Ter Model number DFH 505 HP 12 Valts 115
				Length of drop pipe <u>27</u> ft. capacity <u>20</u> g.m.p. Type: X Submersible Turbine
(use a second sheet if needed)	· · · ·			Jet Reciprocating Certrifugal Other
16 Remarks: elevation Topography: Hill Slope Upland X Valley Walley	leh			17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Protheroe Pump & Well Ser- Business name Address <u>27</u> W 27 ^M Clicense No. Address <u>27</u> W 27 ^M Clicense No. Address <u>Date 525-55</u> Authorized representative

. s^{. 1}

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

/