1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number		Paras Nameter
			_		Township Number	Range Number
	SW NE 1/4		E 1/4	7	T 27 s	R 1E EW
Distance and direction frem nearest town or city street address of well if located within city?						
1469 Perry	Wichi	ta, Kansa	S			
WATER WELL OWNER: WALI	POLE, Floyd					
RR#, ST. ADRESS, BOX#: 1469	Perry				Board of Agriculture, Di	ivivsion of Water Resource
CITY, STATE, ZIP CODE: Wic	hita, Kansa	S			Application Number	r:
LOCATE WELL'S LOCATION WITH	4 DEPTH OF CTIA	TREETED WELL	17	ft. El	LEVATION:	
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.
	WELL'S STATIC W	ATER LEVEL 17	FT.	BELOW LAND S	SURFACE MEASURED ON mo/day/yr	03/18/1998
	Pump test		ater was	ft.	after hours pum	
NE	Est. Yleld		vater was	ft.	after hours pum	
W E	Bore Hole Diameter		to	ft.	and in.	to ft.
E E	WELL WATER		Public water			njection well
1.	1 Domestic		6 Oil field wat		•	Other (Specify below)
SW XSE	2 Irrigation		Lawn and ga		10 Monitoring well	,
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was						
TUDE OF CACING USED.						
1 Carl Stranger and Stranger an						
Vollet (Specify Below)						
2 PVC 4 ABS		7 Fiberglass			_	
Blank casing Diameter 8	Star to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 2		welght	_	lbs. / ft.	Wall thickness or gauge No.	ant .
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/A						A/A
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						•
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open					11 None (open hole)	
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A						
SCREEN-PERFORATION INTERV	'ALS: from	ft.	to	ft., Fro	m ft. to	ft.
from ft. to ft., From ft. to					ft.	
GRAVEL PACK INTERVALS: from		,		ft., Fro		
from ft. to				ft., Fro	om ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug						
Grout Intervals: From O' ft. to 3' ft. From			ft. to ft. From 3' ft. to 17' ft.			
What is the nearest source of possible contamination:				10 Lives	estock pens 14 Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel :	150	il well/Gas well
2 Sewer lines 5 Cess pool					ertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage						
Direction from well? East. How many feet? 10						
FROM TO		FROM TO PLUGGING INTERVA			RVALS	
			0'	3′	cement grout	
			3'	17'	bentonite hole	plug
	3650	1986-1				
		-				
		772.				WAR AND
					THE WALL	
		PRACTICAL PROPERTY.			, P. 11-11-11-11-11-11-11-11-11-11-11-11-11-	V
	7			***************************************		
			<u> </u>		THE STATE OF THE S	
7						
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)						
was completed on (mo/day/year)		LZ.Z.Q	and this rec	ord is true to	the best of my knowledge and	Delief. Kansas Water
Well Contractor's License No236						
Todd S. Harp						