LOCATI	ION OF WATER WELL.		EDACTION	Water	Well Recor	rd Form WWC-5							
			FRACTION				Section Number		Township Number		Range Number		
Sedgwick NE 1/4			NW					т 27	7 s R 1E E/W		E/W		
Distance and direction frem nearest town or city street address of well if located within city?													
427 W. 21st N. Wichita, Kansas  WATER WELLOWNER: WESLEY METHODIST CHURCH													
	712				URCH	Ĺ			Reard	- * *laukura Di	of Water D		
			21st N.		Board of Agriculture, Divivsion of Wat							source	
	E WELL'S LOCATION WITH IN SECTION BOX:		DEPTH OF CO! Depth(s) groundw			45 1	ft. I	ELE V A	ATION: 2	ft.	3	ft.	
l t r		<b>-</b>	CLL'S STATIC W			_		SURFA	Z ACE MEASURED (		o7/31/		
		"~	LL'S STATIC W Pump tes			water was	ft.	aft		hours pum	• •		
}	NWNE	Est.	Yield	gpm:		water was	IL. fL			hours pum		gpm gpm	
W Ijje		1 1	e Hole Diameter	12	in.	to 45	ft.		and	in.	to	gpin ft.	
= "		121	LL WATER TO			5 Public wate			and Air conditioning		ijection well	<del>-</del>	
,	SE		1 Domestic	3 Feedlot	t	6 Oil field wa			Dewatering =		ther (Specify l	pelow)	
	4 Industr	4 Industrial 7 Lawn and garden only 10 Monitoring well											
			s a chemical/bact	eriological s	ample s	ubmitted to De	epartment? Y	es	No :	X ; If yes, m	o/day/yr sampl	e was	
	S	sul	bmitted				•	Water	Well Disinfecte	d? Yes	X No		
— ⁻	E OF CASING USED:			5 Wroug	0		Concrete tile		CASING JO	INTS: G	ued X Clan	ıped	
1 Steel	3 RMP (S	(R)		6 Asbeste		-	Other (Specia	fy belo	w)		elded		
2 PVC	4 ABS			7 Fiberg	lass	S	DR-26			T	readed		
	ing Diameter 5	in.	to 25	ft.,	Dia	in.			t., Dia	in.	to	ft.	
	ight above land surface F SCREEN OR PERFO		in., N Materiai :	w	veight 2		lbs. / ft.	Wa	ull thickness or g ۱۸ ۵	auge No. sbestos-ceme	, 2 I	L <b>4</b>	
1 Steel	SCREEN OR PERFO 3 Stainless St		VIALERIAL.	5 Fibergla	ass		PVC RMP (SR)			sbestos-ceme other (specify)			
2 Brass					6 Concrete tile 9 A					omer (specify) Sone used (op			
	OR PERFORATION	_	C ADE.					8 Saw cut			11 None (open hole)		
1 Contino	<u> </u>	ill slot	G ARE.		5 Gauzed wrapped 6 Wire wrapped			9 Drilled holes					
2 Louvere	5 112	ed	7 Torc				10 Other (spec						
l	PERFORATION INT			•		to 45	<b>&amp;</b> E-		To Center (open	_			
		DAY	from 25	,			ft., Fi			ft, to		ft.	
GRAVEL PACK INTERVALS: from 24			1		t. to 1. to 45	ft., From ft., From			ft. to ft. to		ft.		
from						t. to	ft., From			ft. to		ft. ft.	
		eat ceme		Cement grou			ntonite		Other ben		hole p		
Grout Inte	ft. Fr		ft.										
What is the nearest source of possible contamination:						10 Livestock pens			14 Abandon water well				
1 Septic tank 4 Lateral lines				it privy		11 Fuel storage			15 Oil well/Gas well				
2 Sewer lines 5 Cess pool				wage lage	Don			storage		ther (specify b	•		
3 Watertight sewer lines 6 Seepage pit				9 Fee	edyard		13 11150	ecticia	e storage	None	Appare	nt	
Direction f			1 7701	How many			y feet? UGGING INTERVALS						
0 4	topsoi		IOLOGIC LOG			FROM	TO	+	PLUG	GING INTER	VALS		
4 1	12 clay	· <del></del>						<b>—</b>				*	
	20 medium	fin	e sand					1					
	0 medium							†				***	
	5 coarse							1					
												******	
								ļ					
								<b></b>					
								<b>↓</b>					
ļ								<b>↓</b>					
								<u> </u>					
7 CONT	RACTOR'S OR LANDO	WNER'S CE	RTIFICATION: Th	is water we	ell was (	(1) construct	<u>e</u> d, (2) recon	struct	ed, or (3) plug	ged under m	y jurisdiction	and	
was completed on (mo/day/year)													
Well Contractor's License No													
Under th	ie business name of	·ዣሣዣ <b>ት</b> ‹	v.~~~	A	3.2.T.Y.	₩₩ <u>₩</u> ₩Υ·	K∺ by (s	ignatu	ire) T	11 8	. Harp		
									O	Same S	. Tuarip	•	