

mw-5

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Sedgwick		NE 1/4 NE 1/4 SW 1/4	15	T 27 S	R 1 EW
Distance and direction from nearest town or city street address of well if located within city? 2323 E 9th Wichita KS					
2 WATER WELL OWNER:					
RR#, St. Address, Box # :		City of Wichita Attn: Brian Fisher		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code :		1900 E. 9th, Wichita, Ks 67214		Application Number: -----	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 25.5 ft. ELEVATION: -----			
		Depth(s) Groundwater Encountered 1. 19 ft. 2. ----- ft. 3. ----- ft.			
		WELL'S STATIC WATER LEVEL 17.56 ft. below land surface measured on mo/day/yr 3/4/98			
		Pump test data: Well water was ----- ft. after ----- hours pumping ----- gpm			
		Est. Yield ----- gpm: Well water was ----- ft. after ----- hours pumping ----- gpm			
		Bore Hole Diameter 8.625 in. to 25.5 in. and ----- in. to ----- in.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well mw-5			
		Was a chemical/bacteriological sample submitted to Department? Yes ----- No X ; If yes, mo/day/yr sample was submitted -----			
		Water Well Disinfected? Yes ----- No X			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
2 PVC		4 ABS		6 Asbestos-Cement	
Blank casing diameter ----- in. to 15 in.				8 Concrete tile	
Casing height above land surface ----- in., weight ----- lbs./ft.				9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL:				CASING JOINTS: Glued ----- Clamped -----	
1 Steel		3 Stainless steel		Welded -----	
2 Brass		4 Galvanized steel		Threaded X	
SCREEN OR PERFORATION OPENINGS ARE:		5 Fiberglass		10 Asbestos-cement	
1 Continuous slot		6 Concrete tile		11 Other (specify) -----	
2 Louvered shutter		5 Gauzed wrapped		12 None used (open hole)	
3 Mill slot		6 Wire wrapped			
4 Key punched		7 Torch cut		8 Saw cut	
SCREEN-PERFORATED INTERVALS:		10 Other (specify) -----		11 None (open hole)	
From 15 ft. to 25 ft.					
GRAVEL PACK INTERVALS:					
From 14 ft. to 25.5 ft.					
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 Bentonite	
Grout Intervals: From 2 ft. to 12 ft.		From 3 ft. to 12 ft.		From 14 ft. to ----- ft.	
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		10 Livestock pens	
2 Sewer lines		5 Cess pool		11 Fuel storage	
3 Watertight sewer lines		6 Seepage pit		12 Fertilizer storage	
		7 Pit privy		13 Insecticide storage	
		8 Sewage lagoon		14 Abandoned water well	
		9 Feedyard		15 Oil well/Gas well	
				16 Other (specify below) cont. silty	
Direction from well?				How many feet?	
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0.0	1.0	soil			
1.0	7.5	silty clay			
7.5	16.5	clayey silt			
16.5	25.5	sand (SP)			
25.5	TD	end of Borehole			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/3/98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 3/17/98 under the business name of ACI by (signature) D. Johnson for D. Duncan					