				Water Well Reco	ord Form WWC-			T = 3: .	
1 LOCATION OF WATER		FRACTION				Section Number		Range Number	
Sedgwick SE 1/4			1/4	SE 1/4	18	T 27 8	R 1E E/W		
Distance and direction from nearest town or city street address of well if located within city?									
845 S. Fau			ita, Kar	nsas					
WATER WELL OWNER: HILL, Mable  RR#, ST. ADRESS, BOX #: 845 S. Faulkner  Board of Agriculture, Divivsion of Water Resource									
RR#, ST. ADRESS, BOX									
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMMENT				West t	27	~ F)	Application Number		
AN "X" IN SECTION BO			undwater Er		1	ft. El	LEVATION: 2 ft.	3 ft.	
		WELL'S STAT					SURFACE MEASURED ON mo/day/yr	04/22/1998	
			np test data:		water was	ft.	after hours pum		
NW	NE	Est. Yield	дрт		water was	ft.	after hours pum		
		Bore Hole Diam			to	ft.	and in.	to ft.	
W 1Mile	E	WELL WATER	WAS TO BE USI	ED AS:	5 Public water			njection well	
	L X	1 Domestic		edlot	6 Oil field wa			Other (Specify below)	
SW 2 Irrigation			ı 4 Ind	4 Industrial 7 Lawn and garden only 10 Monitoring well					
	/bacteriologi	riological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was							
S		submitted					/ater Weli Disinfected? Yes	X No	
5 TYPE OF CASIN	5 W	5 Wrought iron 8 Concrete tile			CASING JOINTS: G	lued Clamped			
1 Steel 3 RMP (SR)				bestos-Cem	ent 9	Other (Specify	Other (Specify below) Welded		
2 PVC	4 ABS		7 Fil	berglass			Т	hreaded X	
Blank casing Diameter		in. to	ft.	, Dia	in.	. to	ft., Dia in.	to ft.	
Casing height above and surface 60 in.,				weight		lbs. / ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:				erglass		PVC 10 Asbestos-cement			
1 Steel 3 Statnless Steel				_		8 RMP (SR)	N/A		
2 Brass 4 Galvanized steel				6 Concrete tile 9 ABS			12 None used (open hole)		
	SCREEN OR PERFORATION OPENING ARE:				ızed wrapped		8 Saw cut 11 None (open hole)		
1 Continous slot 3 Mill slot				6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched				7 Tor	ch cut		10 Other (specify) N/	A	
SCREEN-PERFORATION INTERVALS: from				ft. to		ft., Fro	om ft. to	ft.	
from			1	ft. to		ft., Fro	om ft. to	ft.	
GRAVEL PACK INTERVALS: from				ft. to		ft., Fr		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 C				ft, to		ft., Fr		th_	
6 GROUT MATERIA Grout Intervals: From			2 Cement			ntonite	4 Other bentonite h		
Grout Intervals: From 0 ft. to 10 What is the nearest source of possible contamination:				ft. From ft. to			ft. From 10 ft. to 27 ft. estock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel	-4	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon				15 On well/Gas well 16 Other (specify below)	
3 Watertight sewer lin		9 Feedyard 13 Insecticide storage				water (opening seron)			
Direction from well?	-				How many feet? 5				
Direction from well? South FROM TO LITHOLOGIC LOG			LOG	FROM TO			PLUGGING INTER	RVALS	
					0	10	cement grout		
					10	27	bentonite hole plu	9	
			-						
				14714.7		1			
							N9		
						+			
						<del> </del>	17-00-18-0		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
was completed on (mo/day/year)									
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr). 04/24/98 Under the business name of Harp Well & Pump Service, Inc. by (signature)									
Todd S. Harp									
Toda D. Tarp									