


SE NE SW NE

WATER WELL RECORD

Form WWC-5

KSA 82a-1212

EAST

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: SEDGWICK		3/4 1/4 3/4 1/4 NE 1/4	22	T 27 S	R 1 E
Distance and direction from nearest town or city street address of well if located within city?					
209 N VOLUTSIA, WICHITA KANS 67214					
2 WATER WELL OWNER: DONALD FAIRBANK					
RR#, St. Address, Box # : 209 N VOLUTSIA, WICHITA KS					
City, State, ZIP Code : Application Number: NONE					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 31 ft. ELEVATION: 1300			
		Depth(s) Groundwater Encountered 1. 20 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 20 ft. below land surface measured on mo/day/yr 5-14-82			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 30 gpm Well water was NA ft. after NA hours pumping NA gpm			
		Bore Hole Diameter 9 in. to 10 ft. and 6 in. to 31 ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		Welded			
2 PVC 4 ABS		Threaded			
Blank casing diameter 5 in. to 12.22 ft. Dia		in. to ft. Dia			
Casing height above land surface 12.22 in. weight 1.59 lbs./ft. Wall thickness or gauge No. 209					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 21 ft. to 31 ft.		ft. to ft. to ft. to			
GRAVEL PACK INTERVALS: From NONE ft. to ft.		ft. to ft. to ft. to			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 10 ft.		ft. to ft. to ft. to			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? NORTH		How many feet? 10			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	BROWN CLAY			
3	11	GRAY CLAY			
11	17	CLAY - TAN - BROWN			
17	31	SAND COARSE TAN			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-14-82 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 104 This Water Well Record was completed on (mo/day/yr) 6-12-18					
under the business name of BEARDEN Pump & Well by (signature) J. W. Bearden					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

27

R

CEW

SEC. 22

SW 1/4

SE 1/4

NE 1/4

JUL 2 1982