. I OCATION OF WA	red Wei I .	FRACTION	Water Well Rec	ord Form WWC-5	KSA 82a-1212 Section Number		P N 1	
LOCATION OF WATER WELL: Sedqwick		1				Township Number	Range Number	
		SE 1/4	NW 1/4	NE 1/4	30	T 27 s	R 1E E/W	
i	•	street address of well if loc						
	<u>Millwood</u>		<u>chita, Ka</u>	nsas				
WATER WELL O		ERSON, Sue						
RRW, ST. ADRESS, BOX#: 630 S. Millwood Board of Agriculture, Divivsion of Water Resource								
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:							r:	
LOCATE WELL'S LA			WELL WELL	23	ft. EI	EVATION:		
AN "X" IN SECTION	BOX: N	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
		WELL'S STATIC W	ATER LEVEL	L2 FT.	BELOW LAND S	URFACE MEASURED ON mo/day/yr	02/13/1998	
NW	XE	Pump tes	t data: Well	l water was	ft.	after hours pum	ping gpm	
		est. Yield	P1	l water was	ft.	after hours pum	ping gpm	
w W		ore Hole Diameter		to	ft.	and in.	to ft.	
= "		VELL WATER 👯	SE USED AS:	5 Public water	r supply	8 Air conditioning 11 I	njection well	
		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	•	Other (Specify below)	
Sw Sw	386	2 Irrigation	4 Industrial	Industrial 7 Lawn and garden only 10 Monitoring well				
	v	Was a chemical/bacto	eriological sample	submitted to De	nartment? Yes	•	o/day/yr sample was	
	C	submitted	F	Submitted	•	ater Well Disinfected? Yes	-	
TYPE OF CASING LICED.								
5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded								
2 PVC	4 ABS		7 Fiberglass	iem ,	Outer (Speen,	•		
			ū			_	A.	
Blank casing Diame	ter 1 1/4 ii Fland surface 12	n. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
	Fland surface 12 NOR PERFORATI		weight		lbs. / ft.	Wall thickness or gauge No. 10 Asbestos-ceme	nmé	
i		ION MATERIAL.	5 Fiberglass		PVC RMP(SR)			
N/A							M/A	
2 Brass	4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (or		
	FORATION OPEN	ING ARE:	5 Ga	uzed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot	3 Mill slot		6 Wi	re wrapped		9 Drilled holes		
2 Louvered shutter	4 Key pun	ched	7 Tor	ch cut		10 Other (specify)	/A	
SCREEN-PERFOR	ATION INTERVA	LS: from		ft. to	ft., Fro	·	ft.	
	-	from			,			
GRAVE	L PACK INTERVA			ft. to	ft., Fro		ft.	
OKA, E	L FACK INTERVA			ft. to	ft., From ft.		ft.	
from ft. to ft., From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bent on it e hole plug								
Count Intervals. For O								
	rom U source of possible c	ft. to 6	ft. From	ft.	ft. to ft. From 6 ft. to 20 10 Livestock pens 14 Abandon water well			
1 Septic tank	-		7 Pit privy 11 Fuel stora			i i Abanaon water wen		
1 David Million						15 OII WELL GAS WELL		
				8 Sewage lagoon 12 Fertilizer storage 13 Insecticide storage			Other (specify below)	
Waterught sewer mes 6 seepage pit 9 recuyaru								
Direction from well? East How many feet? 15 FROM TO PLIGGING INTERVALS								
FROM TO	LI	THOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
				0	6	cement grout	1	
	***			6	20	bentonite hole		
				20	23	chlorinated san	d and gravel	
					+			
		ur -			1			
					1		~···	

					1			
					1 1			
						A SANCE OF		
					1			
					1 1			
_					ــــــــــــــــــــــــــــــــــــــ			
7 CONTRACTO	R'S OR LANDOWNER'S	CERTIFICATION: Th	is water well was	(1) construct	ed, (2) reconst	ructed, or (3) plugged under n	ny jurisdiction and	
was completed of	n (mo/day/year)	02./.13/	1998	and this red	ord is true to 1	he best of my knowledge and	belief. Kansas Water	
Well Contractor	s License No	4.2.D	This Water Well	Record was c	ompleted on (r	no/day/yr)Ω2./.1.0	<u> </u>	
Under the business name of Harp Well & Pump Service. Inc by (signature)								
Officer the busine	ess name of.HAX	p Well &	Pump Serv	zice. In	ໄຊີ by (sig	nature)		