

4W-8

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>SE 1/4 SW 1/4 SE 1/4</u>	<u>30</u>	T <u>27</u> S	R <u>1</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>1630 W. Harry, Wichita, KS</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>AAA Rental</u>		Application Number:			
City, State, ZIP Code : <u>Wichita, KS</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>18</u> ft. ELEVATION: <u>4-30-98</u>			
		Depth(s) Groundwater Encountered 1. <u>13</u> ft. 2. <u>—</u> ft. 3. <u>—</u> ft. WELL'S STATIC WATER LEVEL <u>12.83</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm Est. Yield <u>—</u> gpm: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm Bore Hole Diameter <u>8.5</u> in. to <u>18</u> in. and <u>—</u> in. to <u>—</u> in. ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10 Monitoring well MW-8</u> Was a chemical/bacteriological sample submitted to Department? Yes <u>—</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>—</u> No <u>X</u>			
		5 TYPE OF BLANK CASING USED:			
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>—</u> Clamped <u>—</u> <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>—</u> Blank casing diameter <u>2</u> in. to <u>8</u> ft. Dia <u>—</u> in. to <u>—</u> ft. Dia <u>—</u> in. to <u>—</u> ft. Casing height above land surface <u>0</u> in., weight <u>SCH 40</u> lbs./ft. Wall thickness or gauge No. <u>—</u> TYPE OF SCREEN OR PERFORATION MATERIAL: <u>7 PVC</u> 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) <u>—</u> 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot <u>3 Mill slot</u> 6 Wire wrapped 9 Drilled holes <u>—</u> 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u>—</u> SCREEN-PERFORATED INTERVALS: From <u>8</u> ft. to <u>18</u> ft. From <u>—</u> ft. to <u>—</u> ft. <u>SAND</u> GRAVEL PACK INTERVALS: From <u>7</u> ft. to <u>18</u> ft. From <u>—</u> ft. to <u>—</u> ft.			
		6 GROUT MATERIAL:			
Grout Intervals: From <u>0</u> ft. to <u>5</u> ft. From <u>5</u> ft. to <u>7</u> ft. From <u>—</u> ft. to <u>—</u> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage <u>13 Insecticide storage</u> Direction from well? <u>contaminated site</u> How many feet? <u>—</u>					
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
0		4		SILTY CLAY (CL)	
4		13.5		SAND (SW)	
13.5		18		SAND (SP)	
18		—		END OF Borehole	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, <u>(2)</u> reconstructed, or <u>(3)</u> plugged under my jurisdiction and was completed on (mo/day/year) <u>4-28-98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>585</u> This Water Well Record was completed on (mo/day/year) <u>5-4-98</u> under the business name of <u>PEI</u> by (signature) <u>Duren Jr C. Bracht</u>					