					Water Well Re	cord Form WWC-5	KSA 82a-1212			
1 1		TER WELL:		RACTION 51	E SWNW.	SE	Section Number		Range Number	
	edgwi			1/4 1/4	2547 1/4	<b>9Æ</b> 1/4	32	T 27 s	R 1E E/W	
l		frem nearest town or	ity street ac	ddress of well if lo	cated within city?					
210	4 Pal	isade	W	ichita,	Kansas					
WATE	ER WELL	COL	3S, Me		_					
RR#, ST	. ADRESS,			lerney C	:. #36 Board of Agriculture, Divivsion of Water Resource					
CITY, S	TATE, ZII	CODE: Wic		Kansas				Application Nu	mber:	
		OCATION WITH	_	L.	wrggted WEL		ft. E	LEVATION:		
AN "X" I	N SECTIO	N BUX:	Dep	th(s) groundv	vater Encountere		ft.	2 ft.	3 ft.	
	1		WELL	'S STATIC V	VATER LEVEL	17 FT.	BELOW LAND	SURFACE MEASURED ON mo/day/y	yr 05/22/1998	
1 1 [	NW_	NE	i	Pump tes	st data: We	il water was	ft.	after hours p	oumping gpm	
			Est. Yi	eld	gpm: We	ell water was	ft.	after hours p	oumping gpm	
ĕw	-	<del></del>	Bore H	ole Diametert	unknown in.	to	ft.	and i	n. to ft.	
= "	- 1		WELL	WATER **	BE USED AS:	5 Public wate	r supply	8 Air conditioning 1	1 Injection well	
1 ,	s₩-		1 1 0	Oomestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 1	2 Other (Specify below)	
			2 Iı	rrigation	4 Industrial	7 Lawn and g	garden only	10 Monitoring well		
			Was a	chemical/bact	teriological samp	le submitted to I	Pepartment? Y	es No X; If ye	s, mo/day/yr sample was	
		S	submi	itted			V	Vater Well Disinfected? You	es X No	
5 TYPI	E OF CA	SING USED:			5 Wrought ire	on 8	Concrete tile	CASING JOINTS:	Glued Clamped	
1 Steel	_	3 RMP (SR)			6 Asbestos-Ce	ment 9	Other (Specif	y below)	Welded	
2 PVC		4 ABS			7 Fiberglass				Threaded X	
Blank casi	ing Dian	peter 1 1/4	in.	to	ft., Dia	in.	to	ft., Dia in	. to ft.	
1	- 1	e land surface	60	in.,	weigh	t	lbs. / ft.	Wall thickness or gauge No		
ТҮРЕ ОР	SCREE	N OR PERFOR	ATION M	ATERIAL:	-		PVC	10 Asbestos-c		
1 Steel		3 Stainless Stee	I		5 Fiberglass	8	RMP (SR)	11 other (spe	cify) N/A	
2 Brass 4 Galvanized steel					6 Concrete tile 9 ABS			12 None used (open hole)		
SCREEN OR PERFORATION OPENING ARE:					5 G	auzed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot						6 Wire wrapped 9 Drilled ho				
2 Louvere	ed shutte	r 4 Key	ounched		7 To	rch cut		10 Other (specify)	N/A	
SCREEN-	-PERFO	RATION INTER	VALS:	from		ft. to	ft., Fr	om ft.	to ft.	
				from		ft. to	ft., Fr		••	
GRAVEL PACK INTERVALS: from					,		ft., Fi			
	Old IV			from		ft. to	ft., Fı			
6 GROU	T MAT	ERIAL: 1 Nea	cement		Cement grout		itonite	4 Other bentonite		
Grout Inte			ft. to	10	ft. From	ft.	to	ft. From 10	ft. to 25 ft.	
		t source of possil	ole contan	nination:	10 110111	•••		ock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines					7 Pit privy 11 Fue			el storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool								rtilizer storage 16 Other (specify below)		
3 Watert	ight sew		page pit		9 Feedyar	9 Feedyard 13 Insecticide storage None Apparent				
Direction	from we							How many feet?		
FROM	то		LITHO	LOGIC LOG		FROM	ТО	PLUGGING IN	TERVALS	
						0	3	compacted topsoi	1	
						3	10	cement grout		
<u></u>						10	25	bentonite hole p	lug	
						25	29	chlorinated sand	and gravel	
					- ,					
7 CONT	грасто	R'S OR LANDONS	EDIS CEDI	TIFICATION. T	his water well u	ras (1) constru	cted. (2) reco	nstructed, or (3) plugged u	nder my jurisdiction and	
_				05/22/1	998	Al-1		. 4 . 41 1 4	lge and belief. Kansas	
Water V	Vell Cor	tractor's Licen	se 23.6		This V mp Service	Vater Well Reco	ord was com	oleted on 05/	26/98	
(mo/day	//yr)	H	arp We	ell & Pu	mp Service	, Inc	,	~	4 04	
Under t	he busi	ness name of					b	y (signature) Iodd	S. Harp	