			-01111 VV VV C-3	KSA 82a-1212		1	
LOCATION OF WATER County:	WELL Praction	NW SENWSE	½ 3	4 T	vnship Number 27 S	Range N	lumber E
Distance and direction from		-		of well if located w	vithin city?	6	-
WATER WELL OWNER	walt Happ	×			CSTEIL	<u> </u>	
RR#, St. Address, Box #	2107£ Sa	Estelle		Во	oard of Agriculture,	Division of Wat	er Resourc
City, State, ZIP Code	: WICH, Ma,	Kows	_		oplication Number:		
DEPTH OF COMPLETE	ED WELL. 25ft.	Bore Hole Diameter			and	. in. to	
Well Water to be used as:	5 Public wate		8 Air conditioni	ng	11 Injection well		
1 Domestic 3 Feedlo			9 Dewatering		12 Other (Specif	y below)	
2 Irrigation 4 Industr	Tawn and the second sec		10 Observation		10	. 21	• • • • • • • • • • • • • • • • • • • •
Pump Test Data	Well water was	ft. after .		hours no	ımning		yea
Est. Yield	gpm: Well water was			hours pu			gpr gpr
TYPE OF BLANK CASI	NG USED:	5 Wrought iron	8 Concrete ti	le (	Casing Joints: Glue	d 💹 Clampe	ed
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (spe	cify below)	Weld	ed	
2_PVC	4 ABS	7 Fiberglass			Threa	aded	
Blank casing dia 👄	in. to	⊃ ft., Dia	in. to	ft.,	Dia	. in. to	
	surface1.2	in., weight		lbs./ft. Wall ti			
TYPE OF SCREEN OR PE		E Eiberalasa	7 PVC	<b>'D</b> \	10 Asbestos-ceme		
1 Steel 2 Brass	3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	8 RMP (S 9 ABS	on)	11 Other (specify)		
Screen or Perforation Open			d wrapped	8 Saw	12 None used (op cut	en noie) 11 None (ope	an hole)
1 Continuous slot	3 Mill slot		rapped	9 Drille		11 None (ope	511 1101 <del>0</del> )
2 Louvered shutter	4 Key punched	7 Torch			r (specify)		
Screen-Perforation Dia		2.5 ft., Dia	in. to .	ft.,	Dia	in to	
Screen-Perforated Intervals	: From	ft. to <b>2.5</b>	ft.,	From	ft. to		
		ft. to	ft.,	From	ft. to		
Gravel Pack Intervals:	From		ft.,	From	ft. to		
	From	# **					
- I			,				
GROUT MATERIAL:	1_Neat cement	2 Cement grout	3 Bentonite	4 Other			
Grouted Intervals: From	1_Neat_cement	2 Cement grout	3 Bentonite	4 Other ft.			
Grouted Intervals: From What is the nearest source	1 Neat cement  O ft to  of possible contamination:	2 Cement grout ft., From	3 Bentonite	4 Other	., From	ft. to	er well
Grouted Intervals: From	1 Neat cement  O ft. to  of possible contamination:  4 Cess pool	2 Cement groutft., From 7 Sewage lagor	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag	., From	tt. tobandoned wate	er well
	1 Neat cement O. ft. to Of possible contamination: 4 Cess pool 5 Seepage pit	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard	3 Bentonite	4 Other	., From	ft. tobandoned wate il well/Gas well ther (specify be	er well
Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement O. ft. to Of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen	3 Bentoniteft. to	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin	., From  14 Al  15 O  age 16 O  er lines  nfected? Yes . X	ft. tobandoned wate il well/Gas well ther (specify beNo	er well elow)
Grouted Intervals: From  What is the nearest source  1 Septic tank  2 Sewer lines  3 Lateral lines  Direction from well  Was a chemical/bacteriolog	1 Neat cement O. ft. to Of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Lical sample submitted to D	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet	3 Bentoniteft. to	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewer Water Well Disin	From  14 Alge 15 O age 16 O er lines offected? Yes . X	ft. to	er well elow)
Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted	1 Neat cement Office to 10 of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hotical sample submitted to D month	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet	3 Bentoniteft. to on s?	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No X o Installed? Yes.	From 14 Alge 15 O age 16 O er lines infected? Yes . X	ft. to	er well elow) date sample
Grouted Intervals: From What is the nearest source  1 Septic tank  2 Sower lines  3 Lateral lines  Direction from well	1 Neat cement  Office to to of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  Hotical sample submitted to D  month s name	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet	3 Bentoniteft. to on s  year: Pum	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No X p Installed? Yes	From  14 Alge 15 O age 16 O er lines nfected? Yes . X	ft. to	elow) date sample
Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted f Yes: Pump Manufacturer Depth of Pump Intake	1 Neat cement  Of the to  of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  ical sample submitted to D  month s name	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet	3 Bentonite	4 Other	From  14 A  15 O  age 16 O  er lines  nfected? Yes . X	ft. to	er well elow) date sample gal./mir
Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted f Yes: Pump Manufacturer Depth of Pump Intake Type of pump:	1 Neat cement O. ft. to Of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy ical sample submitted to D	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet	3 Bentonite ft. to  ft. to	4 Other	From  14 Alge 15 O age 16 O er lines offected? Yes . X	ft. to	er well elow) date sample gal./mir
Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted If Yes: Pump Manufacturer Depth of Pump Intake Type of pump: CONTRACTOR'S OR L	1 Neat cement  Of the to  of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  ical sample submitted to D  month s name  1 Submersible  ANDOWNER'S CERTIFICA	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet	3 Bentonite ft. to  ft. to	4 Other	From  14 Alge 15 O age 16 O er lines offected? Yes . X	ft. to	elow)  date sample  gal./mir  Other
Grouted Intervals: From What is the nearest source  1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted If Yes: Pump Manufacturer' Depth of Pump Intake Type of pump: CONTRACTOR'S OR Locompleted on	1 Neat cement	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet	3 Bentonite ft. to  ft. to	4 Other	From  14 Alge 15 O age 16 O er lines offected? Yes . X	ft. to	er well elow) date sample gal./mir
Grouted Intervals: From	1 Neat cement 1 O ft to 10 of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy 1 South Holical sample submitted to D 1 month 1 Submersible  ANDOWNER'S CERTIFICATION 1 se best of my knowledge are	2 Cement grout	3 Bentonite ft. to  ft. to	4 Other	From  14 Alge 15 O age 16 O er lines offected? Yes . X	ft. to	elow)  date sample gal./mii Other
Grouted Intervals: From What is the nearest source  1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted If Yes: Pump Manufacturer' Depth of Pump Intake Type of pump: CONTRACTOR'S OR Locompleted on and this record is true to the	1 Neat cement	2 Cement grout ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet Department? Yes day ft. 2 Turbine ATION: This water well was month delief. Kansas Water W	3 Bentonite ft. to  ft. to	4 Other	From  14 Al  15 O  age 16 O  er lines  nfected? Yes . X  5 Reciprocating  or (3) plugged und	ft. to	elow)  date sample gal./mii Other
Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted Type of pump Intake CONTRACTOR'S OR Licensel Completed on Comple	1 Neat cement Of to 10 of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Holical sample submitted to D month s name  1 Submersible ANDOWNER'S CERTIFICATE e best of my knowledge are sompleted on D Thillip	2 Cement grout ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet Department? Yes day ft. 2 Turbine ATION: This water well was month delief. Kansas Water W	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No.	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./min Other tion and wa
Grouted Intervals: From	1 Neat cement	2 Cement grout	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./mir  Other  tion and wa  the busines
Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted Type of pump Intake CONTRACTOR'S OR Literal completed on and this record is true to the completed on This Water Well Record was mame of LOCATE WELL'S LOCATE CONTRACTOR	1 Neat cement Of to 10 of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho ical sample submitted to D month s name  1 Submersible ANDOWNER'S CERTIFICATION E best of my knowledge are secompleted on D TION FROM TON 10 10 10 10 10 10 10 10 10 10 10 10 10	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  ATION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./min Other tion and wa
Armouted Intervals: From  What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well  Was a chemical/bacteriolog was submitted	1 Neat cement	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  TION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./min Other tion and wa
Arrouted Intervals: From  What is the nearest source  1 Septic tank  2 Sewer lines  3 Lateral lines  Direction from well  Vas a chemical/bacteriolog  vas submitted  Yes: Pump Manufacturer  Depth of Pump Intake  Type of pump:  CONTRACTOR'S OR Later  Completed on  Ind this record is true to the  This Water Well Record was  The contract of the con	1 Neat cement Of to 10 of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho ical sample submitted to D month s name  1 Submersible ANDOWNER'S CERTIFICATION E best of my knowledge are secompleted on D TION FROM TON 10 10 10 10 10 10 10 10 10 10 10 10 10	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  ATION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	er well  elow)  date sample  gal./min  Other  tion and wa  the busine
Armouted Intervals: From  What is the nearest source  1 Septic tank  2 Sewer lines  3 Lateral lines  Direction from well  Was a chemical/bacteriolog  vas submitted  Yes: Pump Manufacturer  Depth of Pump Intake  Type of pump:  CONTRACTOR'S OR Literation  Completed on  and this record is true to the completed on  This Water Well Record was mame of  LOCATE WELL'S LOCATE WITH AN "X" IN SECT BOX:	1 Neat cement	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  ATION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	er well  elow)  date sample  gal./min  Other  tion and wa  the busines
Grouted Intervals: From What is the nearest source  1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted Opeth of Pump Intake Type of pump: CONTRACTOR'S OR Lateral lines Completed on and this record is true to the Chis Water Well Record was mame of LOCATE WELL'S LOCATE WITH AN "X" IN SECT BOX:	1 Neat cement Of to 10 of possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho ical sample submitted to D month s name  1 Submersible ANDOWNER'S CERTIFICATION E best of my knowledge are secompleted on D TION FROM TON 10 10 10 10 10 10 10 10 10 10 10 10 10	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  ATION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./min Other tion and wa
Grouted Intervals: From What is the nearest source  1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted f Yes: Pump Manufacturer Depth of Pump Intake Type of pump: CONTRACTOR'S OR Literation Completed on	1 Neat cement	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  ATION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./min Other tion and wa
Grouted Intervals: From What is the nearest source  1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted f Yes: Pump Manufacturer Depth of Pump Intake Type of pump: CONTRACTOR'S OR Literation of the completed on and this record is true to the completed on This Water Well Record was mame of LOCATE WELL'S LOCATE WITH AN "X" IN SECT BOX:	1 Neat cement	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  ATION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./mir  Other  tion and wa  the busines
Grouted Intervals: From What is the nearest source  1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriolog was submitted f Yes: Pump Manufacturer Depth of Pump Intake Type of pump: CONTRACTOR'S OR Literation and this record is true to the Completed on and this water Well Record was mame of LOCATE WELL'S LOCATE WITH AN "X" IN SECT BOX:	1 Neat cement	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  ATION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./mir  Other  tion and wa  the busines
Arrowal Intervals: From  What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well  Was a chemical/bacteriolog was submitted  Type of pump Intake  Type of pump: CONTRACTOR'S OR L  Completed on  This Water Well Record was a chemical to the completed on  This Water Well Record was a chemical to the completed on  This Water Well Record was a chemical to the completed on  This Water Well Record was a chemical to the complete  This Water Well Record was a chemical to the complete  This Water Well Record was a chemical to the complete  This Water Well Record was a chemical to the complete  This Water Well Record was a chemical to the complete  This Water Well Record was a chemical to the complete  This Water Well Record was a chemical to the complete  The	1 Neat cement	2 Cement grout  ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet  epartment? Yes  day  ft.  2 Turbine  ATION: This water well wa  month  LITHOLOGI	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sewe Water Well Disin No. X p Installed? Yes. HF rated at 4 Centrifugal (2) reconstructed day S cense No. day	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	elow)  date sample  gal./mir  Other  tion and wa  the busines
Arrowal Arrowals: From  What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines 3 Lateral lines Direction from well	1 Neat cement	2 Cement grout	3 Bentonite	4 Other ft. 10 Fuel storage 11 Fertilizer storag 12 Insecticide stora 13 Watertight sews Water Well Disin No No Herated at 4 Centrifugal 1, (2) reconstructed day No day FROM	From  14 A  15 O  age 16 O  er lines  fected? Yes X  5 Reciprocation  or (3) plugged und	ft. to	er well elow) date sampl gal./mi Other tion and wa