WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick SE SE SW 9 1/4 1/4 1/4 Т 27 S 1E E/W Distance and direction from nearest town or city street address of well if located within city? 1401 N. Mosley Wichita, Kansas **CARGILL** WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#.ST. ADDRESS.BOX #: 1401 N. Mosley 20160243 Wichita, Kansas ZIP CODE: 67214 CITY, STATE: Application Number: 4 DEPTH OF COMPLETED WELL: 38 ELEVATION: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX Depth of groundwater Encountered: ft. ft. ft. 17 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 2/9/17 Pump test data: Well water was ft. after NW NE hours of pumping @ gpm Est. Yield: Well water was ft after Φ gpm hours of pumping @ gpm Σ 12 Bore Hole Diameter W to 36 and WELL WATER TO BE USED AS 11. Injection well 9. Dewatering SW SE 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below) 10. Monitoring well 2. Irrigation 6. Oil field water supply 8. Air conditioning 4. Industrial ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? Was Water Well Disinfected? (YES 5 TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: Glued Threaded 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Welded Clamped 6. Asbestos-Cement 8. Concrete tile 2. PVC 4. ABS 23 Blank casing diameter ft., Dia. ft., Dia. to ft 12 Casing height above land surface: in.. Weight: 5.52 lbs. / ft. Wall thickness or gauge No. .332 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 11. Other (specify) 3. Stainless Steel 5. Fiberglass 9. ABS 1. Steel 6. Concrete Tile 8. RMP (SR) 2. Brass 4. Galvanized 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 8. Saw cut 10. Other (specify) 6. Wire wrapped 4. Key punched SCREEN - PERFORATION INTERVAL 23 38 From to ft.. From ft. ft. to ft. ft., From to From ft. to GRAVEL PACK INTERVALS: 20 to 38 From ft.. From ft. ft From ft to ft., From ft. to ft. GROUT MATERIALS 6 Other bentonite hole plug 1. Neat cement 2. Cement Grout 3. Bentonite Grout Intervals: O ft 20 From ft.. From ft. to ft.. From ft What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 2. Sewer lines 5. Cess Pool 14. Abandon water well None Apparent 9. Feed yard 12. Fertilizer storage 3. Watertight sewer line 6. Seepage pit Direction from well? How many feet? LITHOLOGIC LOG From Τо From To LITHOLOGIC LOG 0 3 topsoil 23 fine sand 23 38 medium sand Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed plugged or 3. under my jurisdiction and was completed on (mo/day/year) 2/9/17 and this record is true to the best of my knowledge and belief. This water well record was completed on (mo/day/year) Kansas Water Well Contractor's License No. 236 2/10/17 under the business name of Harp Well and Pump Service by (signature) Todd S. Harb