WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick SE SE SW9 27 1/4 1/4 1/4 T S R 1E E/W Distance and direction from nearest town or city street address of well if located within city? 1401 N. Moslev Wichita, Kansas WATER WELL OWNER: **CARGILL** Board of Agriculture, Division of Water Resource RR#.ST. ADDRESS,BOX #: 1401 N. Mosley 20160243 CITY, STATE Wichita, Kansas ZIP CODE: 67214 Application Number: 46 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: ELEVATION: WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. ft. ft. 17 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 2/9/17 Pump test data: Well water was ft. after hours of pumping @ NW NE gpm Est. Yield: gpm Well water was ft. after hours of pumping @ gpm Ē Bore Hole Diameter 12 W and in. ft. WELL WATER TO BE USED AS: 9. Dewatering 11. Injection well 7. Lawn and garden only SW SE 5. Public water supply 1. Domestic 3. Feedlot 12. Other (Specify below) 10. Monitoring well 2. Irrigation 8. Air conditioning 4. Industrial 6. Oil field water supply ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? NO Was Water Well Disinfected? (YES) submitted NO TYPE OF CASING USED CASING JOINTS: Glued Threaded 9. Other (Specify below) 7. Fiberglass Wrought Iron 3. RPM (SR) 1. Steel Welded Clamped 6. Asbestos-Cement 8. Concrete tile 2. PVC 4 ABS 8 23 Blank casing diameter in ft., Dia. in. ft., Dia ft. in to 12 5.52 Casing height above land surface: in.. Weight: lbs. / ft. Wall thickness or gauge No. .332 TYPE OF SCREEN OR PERFORATION MATERIAL 7. PVC 11. Other (specify) 3. Stainless Steel 5. Fiberglass 9. ABS 1. Steel 6. Concrete Tile 8. RMP (SR) 12. None used (open hole) 2. Brass 4. Galvanized 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE 3. Mill slot 9. Drilled holes 1. Continuous slot 5. Gauzed wrapped 7. Torch cut 11. None (open hole) 8. Saw cut 2. Louvered shutter 6. Wire wrapped 10. Other (specify) 4. Key punched 23 SCREEN - PERFORATION INTERVAL ft to 43 ft.. From ft. ft tο From ft. to ft., From ft. ft. to 20 GRAVEL PACK INTERVALS: ft. From to 46 ft., From ft. to ft ft. From to ft... From ft. to ft. **GROUT MATERIALS:** Other 6 bentonite hole plug 1. Neat cement 2. Cement Grout 3. Bentonite Grout Intervals: 0 ft. 20 From ft., From ft to ft., From ft. What is the nearest source of possible contamination: 10. Livestock pens 15. Oil well/Gas well 7. Pit privy 13. Insecticide storage 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 5 Cess Pool 2. Sewer lines None Apparent 9. Feed yard 12. Fertilizer storage 6. Seepage pit 3. Watertight sewer line Direction from well? How many feet? LITHOLOGIC LOG From Τo LITHOLOGIC LOG From Τо 0 3 topsoil 3 23 fine sand 23 medium sand 46 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed plugged under my jurisdiction and

7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 2/9/17 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/10/17 under the business name of Harp Well and Pump Service by (signature) Todd S. Harp