	WATER WELL	RECORD F	orm WW	C-5 K	SA 82a-1212	
1 LOCATION OF WATER WELL:	FRACTION		1	ION NUMBER		RANGE NUMBER
Sedgwick	NW 1/4 SW		1/4	17	T 27 S	R 1E E/W
Distance and direction from nearest town or city street address of well if located within city? Murdock and just West of Waco on Southside of Bridge (4 plugs on 1 permit) Wichita, Kansas						
2 WATER WELL OWNER: CITY OF WICHITA Board of Agriculture, Division of Water Resource						
RR#,ST. ADDRESS,BOX #: 455 I	N. Main					20170010
	hita, Kansas			CODE: 6		umber: 20170010
WITH AN "X" IN SECTION BOX:	DEPTH OF POLYGORALD				ELEVATION:	ft.
N De	pth of groundwater Encou		ft.	AV L ANID CI	ft. JRFACE MEASURED ON mo	
	ELL'S STATIC WATER LE Pump test			W LAND SC		rs of pumping @ gpm
ωNW	Est. Yield: gpi					rs of pumping @ gpm
W W E B	ore Hole Diameter	in.	to	ft.	and in.	to ft.
	ELL WATER WAS E USE Domestic 3. Feedlo		ar eupply	7 Lawn a	and garden only 9. Dewate	
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below) 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well						
	Vas a chemical/bacteriological			YES	CNO .	, what mo/day/yr was sample
	bmitted			Was V	Vater Well Disinfected?	YES NO
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded 1. Steel 3. RPM (SR) Welded Clamped						
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile						
Blank casing diameter 8	in. to	ft., Dia.	in.	to	ft., Dia.	in. to ft.
Casing height contained surface: 36 in., Weight: lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A						
1. Grown and Grown help)						
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)						
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A						
			0.02			_
SCREEN - PERFORATION INTERVAL	From From	ft. to		ft., ft.,	From ft. From ft.	to ft. to ft.
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From ft.	to ft.
STOWER PAOR INTERVALS.	From	ft. to		ft.,	From ft.	to ft.
6 GROUT MATERIALS: 1. Neat		ement Grout		. Bentonite	Other	ntonite hole plug
Grout Intervals: From ft. to ft., From ft. to ft., From 3 ft. to 23 ft.						
What is the nearest source of possible contamination:						15. Oil well/Gas well
14 Fuel storage 14 About 18 Other (specify below						48 Other (specify below)
2. Sewer lines 5. Cess Pool 6. Sewage lagoon 17. Tutti Storage 14. Abandon water well None Appal						" None Apparent
3. Watertight sewer line 6. Seepa Direction from well?	ige pit 5. 1 eeu	yaid	2. 1 01111201	storage	How many feet?	
	LITHOLOGIC LO	G	From	То	LITHOL	OGIC LOG
			0	3	compacted top soils	
			23	23 35	hentonite hole plug chlorinated gravel	· · · · · · · · · · · · · · · · · · ·
				.,,,,	CHIMINALLI ELAVO	
7					d or 3. plugged	under my jurisdiction and
Contractor's of Landowner's Certain Carlot.						
was completed on (mo/day/year)	3/8/17					/10/17
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/10/17						
under the business name of Harp Well and Pump Service by (signature) Todd S. Horp						