	WATER WEI	LL RECORD	Form W\	NC-5 k	(SA 82a-12	12		
1 LOCATION OF WATER WELL:	FRACTION  NE 1/4 SE 1/4 SE			TION NUMBE	1		RANGE NUMBER	
Sedgwick  Distance and direction from nearest town or cit	NE 1/4		E 1/4	9	T 2	7 S	R 11	£ E/W
180' West of 15th N. and N	•	-	Wichita,	Kansas				
	CHITA, CITY O		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
RR#,ST. ADDRESS,BOX #: 455	N. Main					Board of Agr	iculture, Division of \	Water Resource
CITY, STATE: Wic	hita, Kansas			IP CODE:		Application Nur	nber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF	WELL:	<b>20</b> ft.		ELEVATION:			
N De	epth of groundwater E			t.		ft.		ft.
	VELL'S STATIC WATE			OW LAND S	URFACE MEAS		, ,	/18
NW NE	Pump Est. Yield:		l water was		ft. after ft. after		s of pumping @ s of pumping @	gpm
w William F	Bore Hole Diameter	gpm We in.	ll water was to	f	t. and	in.	to	gpm ft.
-	VELL WATER					9. Dewateri	44 1.4.	ction well
sw -se-	1. Domestic 3. Fe	eedlot 5. Public	water supply	7. Lawn	and garden onl	У	12. Other (S	pecify below)
	•		ld water suppl	•	nditioning	10. Monitorii	ng well> what mo/day/yr	was sample
•	Was a chemical/bacteriol- ubmitted	logical sample submitte	d to Department?	<b>YES</b> Was	NO Water Well Disin		$\overline{}$	NO
5 TYPE OF CASING USED:	E Westerhale	on 7. Fiberg	lacs 9. (	Other (Specif		SING JOINTS:	Glued	Threaded
1. Steel 3. RPM (S	•	Ţ		( <b>-</b>	,,,		Welded	Clamped
2. PVC 4. ABS	6. Asbestos-C				_			
Blank casing diameter	in. to	ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height had PM and surface: 72 in., Weight: lbs. / ft. Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A							N/A	
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION OPENIN	JGS ARE:		•					
1. Continuous slot 3. Mill s		uzed wrapped	7. <b>T</b>	orch cut	9. <b>Dri</b> l	led holes	11. None (	open hole)
2. Louvered shutter 4. Key	punched 6. Wi	re wrapped	8. <b>S</b>	aw cut	10. Oth	er (specify) N	/A	
	•		ło.	4				٠.
SCREEN - PERFORATION INTERVAL	<u>-</u> .	ft. ft.	to to	ft.,	From	ft.	to .	ft.
GRAVEL PACK INTERVALS:	From From	ft.	to	ft., ft.,	From From	ft.	to	ft.
GRAVEET AGRITUALS.	From	ft.	to		From	ft.	to	ft.
6 GROUT MATERIALS: 1 Nea				ft.,		ft. Other	to	ft.
GROUT MATERIALS: 1. Nea	t cement  ft. to	2. Cement Grout 20 ft., Fro	om fi	3. Bentonit	e ft.,	From	ft. to	ft.
What is the nearest source of possible of	contamination:	,		_		-		
1. Septic tank 4. Lateral lines				ivestock pens 13. Insecticide storage			15. Oil well/Gas well  16. Other (specify below)	
2. Sewer lines 5. Cess	7 001	Sewage lagoon	11. Fuel st	-	14. Aband	don water well	io. Other (S	pecify below)
3. Watertight sewer line 6. Seep	age pit 9. F	eed yard	12. Fertiliz	er storage	Ua			
Direction from well?  From To	LITHOLOGIC	LOG	From	То	now III	any feet?	OGIC LOG	
	PVC sleeve and		0	6	compacted		<del>2010 E00</del>	
	pipe out and the		6	20	bentonite h	U		
small bore h	ole						<del></del>	
				+	+			
				-				
					<b>-</b>			
				+				4.
7	Election, This water	all was d		000000	Nd 05 3	nlugged	under my jurisdic	tion and
Contractor's or Landowner's Certi	ification: This water wi			econstructe		plugged	ander my Junean	MOIT BIIU
was completed on (mo/day/year)					y knowledge and		0.14.0	
Kansas Water Well Contractor's Lice	nse No. 236	This wat	er well record w	as complete	ed on (mo/day/ye		8/18	
under the business name of Harr	Well and Pump	p Service	by (	signature)	$\mathcal{T}$	odd S	. Hart	)